

ECOLINK, INC. -- SAFE-STRIP -- 6850-01-386-8424

===== Product Identification =====

Product ID:SAFE-STRIP

MSDS Date:04/12/1994

FSC:6850

NIIN:01-386-8424

MSDS Number: BXTNS

=== Responsible Party ===

Company Name:ECOLINK, INC.

Address:1481 ROCK MOUNTAIN BLVD.

City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Info Phone Num:800-886-8240

Emergency Phone Num:404-621-8240(CHEMTREC 800-424-9300)

CAGE:NO5

80

=== Contractor Identification ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

Box:City:STONE MOUNTAIN

State:GA

ZIP:30083-1505

Country:US

Phone:800-886-8240/770-621-8240

CAGE:0WU71

Company Name:ECOLINK, INC.

Address:1481 ROCK MOUNTAIN BLVD.

Box:City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Phone:800-886-8240

CAGE:NO580

===== Composition/Information on Ingredients =====

Ingred Name:BUTYROLACTONE

CAS:96-48-0

RTECS #:LU3500000

Other REC Limits:NONE RECOMMENDED

Ingred Name:N-METHYLPYRROLIDONE
CAS:872-50-4
RTECS #:UY5790000
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION-NO EFFECTS OF EXPOSURE
EXPECTED. INHALATION-THIS PRODUCT HAS A LOW VAPOR PRESSURE & IS NOT
EXPECTED TO PRESENT AN INHALATION HAZARD AT AMBIENT CONDITIONS.
EYES-EXPOS
URE TO HIGH CONCENTRATION S OF VAPOR MAY CAUSE SLIGHT
TEMPORARY IRRITATION SKIN- PROLONGED/REPEATED EXPOSURE MAY CAUSE
SKIN IRRITATION OR DEFATTIN
Explanation of Carcinogenicity:NO INGREDIENTS OF A CONCENTRATION OF
0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:INHALATION-ASPIRATION INTO LUNGS MAY CAUSE
INJURY. EXCESSIVE INHALATION OF VAPOR MAY CAUSE PALLOR, NAUSEA,
LACK OF COORDINATION, STUPOR. EYES-SPLASHES WILL CAUSE PAINFUL
BURNING OR STINGING. SKIN-REPEATED LONG-TERM CONTACT MAY CAUSE
EXCESSIVE DRYING OR FLAKING, RASHES.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTED-DRINK 2 GLASSES OF WATER & INDUCE VOMITING. CALL A
PHYSICIAN. INHALATION-REMOVE TO FRESH AIR. IF BREATHING IS
DIFFICULT, GIVE OXYGEN, CALL PHYSICIAN. EYES-IRRIGATE IMMEDIATELY
WITH WATER FOR AT LEAST 15 MIN. CALL A PHYSICIAN
. SKIN-WASH OFF IN
FLOWING WATER OR SHOWER USING SOAP AND WATER. REMOVE CONTAMINATED
CLOTHING AND WASH BEFORE REUSE.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:197F,92C
Extinguishing Media:ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICALS.
Fire Fighting Procedures:FIGHT AS HYDROCARBON FIRE. WEAR
SELF-CONTAINED, NIOSH APPROVED, BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NON-TOXIC AND TOXIC FUMES MAY FORM UPON
COMBUS

TION. STAY UPWIND OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. ABSORB LIQUID ON VERMICULITE ABSORBENT. PREVENT RUN-OFF FROM ENTERING DRAINS, SEWERS, WATERWAYS. IF RUN-OFF OCCURS; NOTIFY NATIONAL RESPONSE CENTER 800- 424-8802 AND STATE/LOCAL AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage

Precautions:TREAT AS A COMBUSTIBLE LIQUID. ALWAYS KEEP CONTAINER CLOSED. AVOID EXCESSIVE CONTACT WITH FUMES OR LIQUID.

Other Precautions:READ MANUFACTURER'S LABEL BEFORE USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER CONDITIONS OF NORMAL USE. IF VAPOR MIST IS GENERATED, USE A NIOSH CERTIFIED ORGANIC VAPOR RESPIRATOR WITH A DUST AND MIST FILTER.

Ventilation:LOCAL EXHAUST/HOOD/FAN.

Protective Gloves:NEOPRENE GLOVES ARE RECOMMENDED.

Eye Protection:SPLASH GOGGLES ARE RECOMMENDED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:USE WITH ADEQUATE VENTILATION. WASH HANDS AFTER USE.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:396F,202C

Melt/Freeze Pt:M.P/F.P Text:N.A.

Vapor Pres:1

Spec Gravity:1.062

Evaporation Rate & Reference: