

BREAK-FREE DIV OF SAN/BAR CORP -- CLP LIQUID -- 9150-01-079-6124

=====
Product Identification
=====

Product ID:CLP LIQUID

MSDS Date:06/14/1994

FSC:9150

NIIN:01-079-6124

MSDS Number: BXWDP

=== Responsible Party ===

Company Name:BREAK-FREE DIV OF SAN/BAR CORP

Address:1035 S LINWOOD AVE

Box:25020

City:SANTA ANA

State:CA

ZIP:92705-4396

Country:US

Info Phone Num:714-953-1900

Emergency Phone Num:714-95

3-1900/800-424-9300(CHEMTREC)

Preparer's Name:DONALD E. YODER

CAGE:65983

=== Contractor Identification ===

Company Name:BREAK-FREE INC

Address:13386 INTERNATIONAL PARKWAY

Box:City:JACKSONVILLE

State:FL

ZIP:32218

Country:US

Phone:800-428-0588/ 904-741-5400

CAGE:65983

=====
Composition/Information on Ingredients
=====

Ingred Name:1-DECENE, HOMOPOLYMER, HYDROGENATED/POLYALPHAOLEFIN
SYNTHETIC OIL

CAS:68037-01-4

Fraction by Wt: 53.7%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:

5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:SYNTHETIC INHIBITORS AND LUBRICATION ADDITIVES
(PROPRIETARY)
Fraction by Wt: 21.3%
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIBASIC ESTER #1
Fraction by Wt: 3.9%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PETROLEUM HYDROCARBON/SEVERELY HYDROTREATED LIGHT
DISTILLATE
CAS:64742-47-8
RTECS #:OA5504000
Fraction by Wt: 10.7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred
Name:ETHYLHEXYL ACETATE/2-ETHYLHEXYL ACETATE
CAS:103-09-3
RTECS #:AH5600000
Fraction by Wt: 9.9%
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS: 150 G/L.
RTECS #:9999999VC
Other REC Limits:NOT RELEVANT
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:N

O IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY
TRACT. ACUTE- MAY CAUSE EYES & SKIN IRRITATION. PROLONGED/REPEATED
SKIN CONTACT CAUSES DEFATTING. INHALATION OF VAPORS/OIL MIST MAY
CAUSE IRRITATION & CNS EFFECTS. MAY BE ABSORBED THROUGH ABRADED
SKIN. INGESTION MAY CAUSE VOMITING. ASPIRATION HAZARD. CHRONIC-
DERMATITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, NAUSEA, VOMITING, HEADACHE,
DIZZINESS, W

EAKNESS, UNCONSCIOUSNESS, DEFATTING AND DRYING OF SKIN,
DERMATITIS

Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN
DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====
First Aid Measures
=====

First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15
MINUTES. HOLD EYELIDS OPEN. SKIN: WIPE OFF EXCESS. WASH SKIN WITH
SOAP & W

A TER. ORAL: DO NOT INDUCE VOMITING. IF CONSCIOUS, RINSE
MOUTH, DRINK LARGE AMOUNT OF WATER. SEEK MEDICAL ATTENTION
IMMEDIATELY. IF SPONTANEOUS VOMITING OCCURS, MONITOR FOR BREATHING
DIFFICULTY.

=====
Fire Fighting Measures
=====

Flash Point Method: PMCC

Flash Point: 174F, 79C

Extinguishing Media: USE CARBON DIOXIDE, FOAM/DRY CHEMICAL. IF A SPILL
HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE VAPORS.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECT
IVE EQUIPMENT AND

NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: CONTAINER MAY BURST. DENSE BLACK SMOKE
MAY FORM.

=====
Accidental Release Measures
=====

Spill Release Procedures: VENTILATE AREA. PICK UP SPILL WITH SAND, CLAY,
EARTH & SHOVEL INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS,
SEWERS.

Neutralizing Agent: NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE AWAY FROM HEAT, FLAME & STRONG
OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH
OF CHILDREN. DO NOT STORE ABOVE 120F.

Other Precautions: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH
THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD
LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND
LAUNDRER BEFORE RE-USE.

=====
Exposure Controls/Personal Protection
=====

=====

Respiratory Protection:NONE NORMALLY REQUIRED. IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. IN EMERGENCIES, WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:PVC OR NEOPRENE FOR REPEATED CONTACT

Eye Protection:SPLASH-PROOF GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A, B, C OR D, SAME NSN.

===== Physical/Chemical Properties =====

HCC:V4

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:375F,191C

Melt/Freeze Pt:M.P/F.P Text:-75F,-59C

Spec Gravity:0.88

Solubility in

Water:NIL

Appearance and Odor:LIGHT AMBER LIQUID - MILD ODOR

Percent Volatiles by Volume:24.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT, OPEN FLAME, SPARKS, WELDING AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:MAY FORM SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, OXIDES OF SULFUR AND OTHER DECOMPOSITION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. RCRA EMERGENCY NUMBER: 800-424-9346. DO NOT CONTAMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY. INCINERATION IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense

e. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.