View NSN Online: https://aerobasegroup.kr/nsn/6750-01-273-8178

EASTMAN KODAK COMPANY -- 106 5275 EKTACHROME R-3000 COLOR DEVELOPER, WORKING SOL'N -- 6750-01-273-8178

============= Product Identification ========================

Product ID:106 5275 EKTACHROME R-3000 COLOR DEVELOPER, WORKING SOL'N

MSDS Date: 10/25/1995

FSC:6750

NIIN:01-273-8178

Kit Part:Y

MSDS Number: BXXMH === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14 650

Country:US

Info Phone Num:716-477-3194 MSDS: 800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

========

=== Composition/Information on Ingredients ======== Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 90-95% Other REC Limits: NONE RECOMMENDED Ingred Name: POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED Ingred Name:BENZYL ALCOHOL CAS:100-51-6 RTECS #:DN3150000 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED Ingred Name: ETHYLENE GLYCOL (SARA 313) (CERCLA) CAS:107-21-1 RTECS #:KW2975000 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED ACGIH TLV:C 50 PPM, VAPOR; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-**METHYLPHENYLENEDIAMINE** CAS:25646-71-3 RTECS #:PB0431000 Fraction by Wt: 212F,>100C Vapor Pres:18 MM Vapor Density:0.6 Spec Gravity:1.03 pH:10.5

Solubility in Water: COMPLETE

Appearance and Odor:LIQUID, COLORLESS, ODORLESS.

Percent Volatiles by Volume:90-95

======== Stability and Reactivity Data ==========

Stability In

dicator/Materials to Avoid:YES

NON WITH COMMON MATERIALS & CONTAMINANTS W/WHICH THE MATERIAL MAY REASONABLY COME IN CONTACT.

Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS OF USE.

Hazardous Decomposition Products:NONE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. FLUSH TO SEWER W/LARGE AMOUNTS

OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their part

icular situation.