View NSN Online: https://aerobasegroup.com/nsn/9160-00-285-2048

Product ID:#1-100 PARAFFIN WAX (VV-W-95C)

MSDS Date:03/16/1993

FSC:9160

NIIN:00-285-2048

MSDS Number: BXYCS === Responsible Party ===

Company Name: STEVENSON BRO AND CO INC

Address:1039 W VENANGO ST

City:PHILADELPHIA

State:PA

ZIP:19140-4313 Country:US

Info Phone Num:215-223-2600

**Emerge** 

ncy Phone Num:215-223-2600

CAGE:78583

=== Contractor Identification ===

Company Name: STEVENSON-COOPER INC

Address:1039 W VENANGO ST

Box:City:PHILADELPHIA

State:PA

ZIP:19140-4313 Country:US

Phone:215-223-2600 FAX: 215-223-3597

CAGE:78583

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM WAX

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification =============

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MOLTEN FUMES MAY BE SLIGHTLY IRRITATING TO EYES. MOLTEN WAX FUMES MAY CAUSE MILD (UPPER) RESPIRATORY IRRITATION. Explanation of Carcinogenicity: NOT CARCINOGENIC. Effects of Overexposure: MOLTEN WAX WILL CAUSE BURNS ON CONTACT WITH SKIN. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: NONE SPECIFIED BY MANUFAC TURER. Flash Point Method:COC Flash Point:405F,207C Extinguishing Media: USE WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE. DO NOT USE DIRECT STREAM OF WATER. Fire Fighting Procedures: MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE SPACE WITH FULL BUNKER GEAR. INCLUDING A POSITIVE PRESSURE NIOSH APROVED SCBA. Unusual Fire/Explosion Hazard: COOL FIRE EXPOSED CONTAINERS WITH WATER. ========= ==== Accidental Release Measures ========= Spill Release Procedures: MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTIOS JUDGEMENT WHEN CLEANING UP LARGE SPILLS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage ========================== Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ======== Respiratory Pro

tection: USE A NIOSH APPROVED RESPIRATOR AS REQUIRED TO PREVENT OVEREXPOSURE. Ventilation:LOCAL EXHAUST. Protective Gloves:WHEN HANDLING HOT. Eye Protection: GOGGLES TO PREVENT SPLASHING IN EYES. Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE ======== Physical/Chemical Properties ========== HCC:N1 Boiling Pt:B.P. Text:>650

Melt/Freeze Pt:M.P/F.P Text:125F,52C

Vapor Pres