

RAMCO INSULATION, INC -- SUPERTEMP/RAMCOTE 1200 -- 5640-00-272-2995

=====  
Product Identification  
=====

Product ID: SUPERTEMP/RAMCOTE 1200

MSDS Date: 08/15/1994

FSC: 5640

NIIN: 00-272-2995

MSDS Number: BXYSH

=== Responsible Party ===

Company Name: RAMCO INSULATION, INC

Address: 2021 ROOSEVELT

Box: 2173

City: JOPLIN

State: MO

ZIP: 64803

Country: US

Info Phone Num: 417-781-8855

Emergency Phone Num: 417-781-8855

P

reparer's Name: RICHARD MOSS

CAGE: UO335

=== Contractor Identification ===

Company Name: RAMCO INSULATION INC

Address: 2021 ROOSEVELT

Box: 2173

City: JOPLIN

State: MI

ZIP: 64804

Country: US

Phone: 417-781-8855

CAGE: UO335

=====  
Composition/Information on Ingredients  
=====

Ingred Name: MINERAL FIBERS

Other REC Limits: NONE RECOMMENDED

Ingred Name: BENTONITE

CAS: 1302-78-9

RTECS #: CT9450000

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 5 MG/M3 (DUST)

ACGIH TLV: 5 MG/M3 (DUST)

Ingred Name: CLAY

C

AS:1332-58-7

Other REC Limits:NONE RECOMMENDED

Ingred Name:PORTLAND CEMENT

Other REC Limits:NONE RECOMMENDED

Ingred Name:FLY ASH

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES-IRRITATION.

SKIN-IRRITATION. INHALATION-RESPIRATORY IRRITATION.

INGESTION-UNKNOWN. CHRONIC: INHALAYI

ON-LUNG DAMAGE IF INHALED OVER

LONG TERM BASIS.

Explanation of Carcinogenicity:IARC HAS CLASSIFIED CRYSTALLINE SILICA

AS A CLASS 2A CARCINOGEN.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH CLEAN WATER FOR 15 MINUTES. CONSULT PHYSICIAN

IF IRRITATION PERSISTS. SKIN-WASH WITH CLEAN WATER AND SOAP.

CONSULT PHYS

ICIAN IF IRRITATION PERSISTS. INHALATION-REMOVE TO

ADEQUATE VENTI LATION. SEEK MEDICAL ATTENTION. INGESTION-CONTACT

PHYSICIAN. DO NOT INDUCE VOMITING.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NOT COMBUSTIBLE.

Unusual Fire/Explosion Hazard:NONE KNOWN.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR VACUUM.

=====  
===== Handling and Storage =====

=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:USE A NIOSH APPROVED RESPIRATOR WHEN WORKING WITH THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A NIOSH APPROVED RESPIRATOR FOR MINERAL DUSTS SHOULD BE USED AT ALL TIMES WHEN WORKING WITH THIS PRODUCT. EMPLOYEES USING A RESPIRATOR MUST BE FIT TESTED, USING OSHA QUALITATIVE FIT TESTING REQUIREMEN TS.

Ventilation:GENERAL MECHANICAL VENTILATION IS ADEUQATE.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:GOGGLES OR SAFETY GLASSES W/SHIELDS.

Other Protective Equipment:LONG-SLEEVED AND LONG-LEGGED CLOTHING SHOULD BE WORN TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WORK CLOTHING SHOULD BE WASHED SEPERATELY. RINSE WASHING MACHINE THOROUGHLY AFTER USE.

Supplemental Safety and Health

WARNING: THIS PRODUCT CONTAINS SILICA.

===== Physical/Chemical Properties =====

HCC:N1

M

elt/Freeze Pt:M.P/F.P Text:2200F,1204C

Solubility in Water:TRACE.

Appearance and Odor:LIGHT GRAY - CEMENT ODOR.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS.

Stability Condition to Avoid:STABLE.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL, IN ACCORDANCE WITH STAT

E AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this informatio  
n to their  
particular situation.