View NSN Online: https://aerobasegroup.kr/nsn/5970-01-338-0784

EMERSON & CUMING INC -- STYCAST 2651-40 BLACK -- 5970-01-338-0784

Product ID:STYCAST 2651-40 BLACK MSDS Date:03/02/1993 FSC:5970 NIIN:01-338-0784 MSDS Number: BYCBZ === Responsible Party === **Company Name: EMERSON & CUMING INC** Address:77 DRAGON COURT City:WOBURN State:MA ZIP:01888 Country:US Info Phone Num:617-828-3300 Emergency Phone Num:617-935-4850 Preparer's Na me:DAVID HAAS CAGE:DO244 === Contractor Identification === Company Name: EMERSON & CUMING Address:55 HAYDEN AVE Box:City:LEXINGTON State:MA ZIP:02173 Country:US Phone:617-861-6600 CAGE:0B562 Company Name: EMERSON & CUMING INC DIV/W R GRACE CO Address:117 DRAGON COURT **City:AUOBURN** State:MA ZIP:01888 Phone:(617) 935-4850 OR (617) 938-8630 CAGE:DO244

Ingred Name:EPOXY RESIN Fraction by Wt: 50-60% OSHA PEL:N/K ACGIH TLV:N/K

Ingr

ed Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA) CAS:12001-26-2 RTECS #:VV8760000 Fraction by Wt: 35-45% OSHA PEL:20 MPPCF; Z-3 ACGIH TLV:3 MG/M3 RDUST Ingred Name: PROPANE, 1,2-EPOXY-3-PHENOXY-; (PHENYL GLYCIDYL ETHER) (PGE) CAS:122-60-1 RTECS #:TZ3675000 Fraction by Wt: 2-5% **OSHA PEL:10 PPM** ACGIH TLV:S, 1 PPM; A3 Ingred Name: PIGMENTS Fraction by Wt: 200F,>93C Extinguishing Media: USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures: NIOSH/MSHA APPRVD SCBA & FULL PRO TEQUIP. COOL EXPOSED CNTNRS W/WATER TO PVNT PRESS BUILDUP. IF LG QTYS OF MATL ARE INVOLVED, EVAC AREA & FIGHT (SUPDAT) Unusual Fire/Explosion Hazard: DECOMPOSITION & COMBUSTION PRODS MAY BE TOXIC. CLOSED CNTNRS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS. Spill Release Procedures: SPILL RESPONSE OPERATIONS MUST BE CONDUCTED I/A/W PROVISIONS OF OSHA 29 CFR 1910.120. REVIEW ENTIRE MSDS BEFORE PROCEEDING W/SPI LL RESPONSE. SM SPILLS: ACTIVATE AVAIL EXHAUST VENT EQUIP IN IMMED SPILL AREA. WIPE UP/ABSORB SPILLED MATL WITH (ING 13) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: THE REC DESCRIBED IN THIS SECTION ARE PROVIDED AS GEN GUIDANCE FOR MINIMIZING EXPOS WHEN HANDLING THIS PRODUCT.

Other Precautions: BECAUSE USAGE CNDTNS WILL VARY DEPENDING ON CUSTOMER APPLIC, SPECIFIC SAFE

HDNLG PROC SHOULD BE DEVELOPED BY PERSON KNOWLEDGEABLE IN THE INTENDED USAGE CNDTNS & EQUIP. EMPLOYEES MUST BE PROPERLY TRAIN ED IN SAFE HNDLG OF THIS PROD (ING 20)

Respiratory Protection:USE AN APPROP, NIOSH/MSHA PROPERLY FITTED RESP IF EXPOS EXCEED PEL/TLV VALUES. TYPE OF PROT SELECTED (NIOSH/MSHA SCBA, AIR-PURIFYING, ETC) WILL DEPEND UPON CNDTNS OF USE. OBSERVE OSHA REGS FOR RESP PR OT (29 CFR 1910.134).

Ventilation:PROVIDE EFTIVE MECH EXHAUST VENT TO DRAW VAPS, MISTS/FUMES GENERATED DURING PROCESSING AWAY FROM WORKER & PVNT (ING 22) Protective Gloves:NEOPRENE GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment: CHEM-RESIST APRON & ADDNL IMPERVIOUS CLTHG. EMER EYE WASH FACILITIES & SAFETY SHOWER MUST BE AVAILABLE.

Work Hygienic Practices:NORM WORK CLTHG SHOULD BE WASHED BEFORE REUSE. WASH HANDS & FACE THORO AFTER HNDLG PROD & BEFORE EATING, DRINKI

NG/SMKNG.

Supplemental Safety and Health

FIRE FIGHT PROC:FIRE FROM SAFE DIST. CNDTNS TO AVOID:OR EXPOS TO INCOMPAT SUBSTANCES. MATLS TO AVOID:MAY CAUSE HAZ POLYMERIZATION. HAZ DECOMP PROD:BY-PRODS WILL VARY WIDELY DEPENDING ON CNDTNS OF COMB USTION. EFTS OF OVEREXP:RESIN IN PROD HAS BEEN SHOWN TO BE MUTAGENIC IN SOME MICROBIAL TESTS, BUT HAS FAILED TO (ING 5)

Vapor Pres: