View NSN Online: https://aerobasegroup.kr/nsn/9930-00-935-3639

CHAMPION CHEMICAL CO. -- NEO-FORM ARTERIAL EMBALMING FLUID -- 9930-00-935-3639

======== Product Identification ============

Product ID:NEO-FORM ARTERIAL EMBALMING FLUID

MSDS Date:09/01/1992

FSC:9930

NIIN:00-935-3639

MSDS Number: BYCMJ === Responsible Party ===

Company Name: CHAMPION CHEMICAL CO.

Address:400 HARRISON ST

Box:967

City:SPRINGFIELD

State:OH

ZIP:45501-0967

Country:US

Info Phone Num:513-324-5681

Em

ergency Phone Num:513-324-5681

CAGE:MO291

=== Contractor Identification ===

Company Name: CHAMPION CHEMICAL CO.

Address:400 HARRISON ST

Box:967

City:SPRINGFIELD

State:OH

ZIP:45501-0967

Country:US

Phone:513-324-5681

CAGE:MO291

Company Name: CHAMPION CO THE SPECIAL PRODUCTS DIV

Address:400 HARRISON ST

Box:967

City:SPRINGFIELD

State:OH

ZIP:45501-0967

Country:US

Phone:513-324-5681

CAGE:94231

====== Composition/Information on Ingredients ========

Ingred Name: FORMALDEHYDE (SARA 302/313)

(CERCLA) CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 15% OSHA PEL:SEE 1910.1048 ACGIH TLV:C 0.3 PPM, A2; 9495 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS Ingred Name: METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 40% Other REC Limits: NONE RECOMMENDED OSHA PEL:S, 200 PPM ACGIH TLV:S,200PPM/250STEL; 95 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ============== Hazards Identification ======================= LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RA T) WAS NOT STATED Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:SWALLOWING THE LIQUID CAUSES INEBRIATION, HEADACHE, NAUSEA & VOMITING LEADING TO SEVERE ILLNESS, BLINDNESS & PERHAPS DEATH. Explanation of Carcinogenicity: CONTAINS F [50-00-0] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN. Effects of Overexposure: INEBRIATION, HEADACHE, NAUSEA & VOMITING EADING TO SEVERE ILLNESS, BLINDNESS & PERHAPS DEATH. Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS. First Aid:EYES:CALL PHYSICIAN, IMMEDIATELY FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER, FLUSH FOR ABOUT 15 MIN. INHALATION:REMOVE TO FRESH AIR, GIVE OXYGEN OR ARTIFICIAL RESPIRATION.

INGESTION: INDUCE VOMI TING, GIVE MILK FREELY IF CONSCIOUS.

======== Fire Fighting Measures

Flash Point Method:COC Flash Point:120F,49C Lower Limits:6.7 Upper Limits:72 Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. COOL CONTAINER W/WATER SPRAY. Unusual Fire/Explosion Hazard:MFR GAVE NO INFORMATION ON MSDS.
========= Accidental Release Measures ==========
Spill Release Procedures:FLUSH SPILLED MATERIAL TO SEWER W/LARGE VOLUMES OF WATER - IF ALLOWED . NEUTRALIZE W/5% SOLUTIONS OF AMMONIA OR SODIUM SULFITE. Neutralizing Agent:5% SOLUTIONS OF AMMONIA OR SODIUM SULFITE.
=========== Handling and Storage =============
Handling and Storage Precautions:MAINTAIN ADEQUATE VENTILATION & ENGINEERING CONTROLS TO ENSURE EXPOSURE LEVELS BELOW OSHA LIMITS. AVOID PROLONGED INHALATION OR CONTACT W/SKIN OR EYES Other Precautions:KEEP BOTTLES TIGHTLY CAPPED. KEEP AWAY FROM HEAT & FLAMES. STORE AT TEMPERATURES NO LOWER TH AN 45F NOR HIGHER THAN 110F.
===== Exposure Controls/Personal Protection =======
Respiratory Protection:UNNECESSARY IF AREA IS ADEQUATELY VENTILATED, FORMALDEHYDE RESPORATOR MASK (3M). Ventilation:GENEARL MECHANICAL VENTILATION IS ACCEPTABLE IF NECESSARY. LOCAL VENTILATION IS PREFERRED. Protective Gloves:PLASTIC TYPE. Eye Protection:COVERALL GOGGLES Other Protective Equipment:SAFETY SHOWER, EYE BATH, APRON Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIEN E PRACTICES. AVOID CONTACT IF AT ALL POSSIBLE. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE
========== Physical/Chemical Properties ==========
HCC:T4 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:180F,82C Vapor Density:1 Spec Gravity:0.985 Evaporation Rate & Deference:1 (N-BUAC = 1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR WATER-WHITE LIQUID, MODERATE IRRITATING ODOR Percent Volatiles by Volume:40
========= Stability an

Stability Indicator/Materials to Avoid:YES
OXIDANTS (ACIDS)
Stability Condition to Avoid:SPARKS, HEAT, & FIRES
Hazardous Decomposition Products:AT ELEVATED TEMPERATURES, RELEASES
FORMALDEHYDE GAS, CARBON DIOXIDE, CARBON MONOXIDE.

======= Disposal Considerations ===========

Waste Disposal Methods:FLUSH TO CHEMICAL SEWER, INCINERATE, DISPOSE IN SANITARY LANDFILL OR FLUSH TO WA STE TREATMENT SYSTEM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.

d Reactivity Data ========

Conditions to Avoid Polymerization: WILL NOT OCCUR.