View NSN Online: https://aerobasegroup.com/nsn/6850-00-527-2426

MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV -- CEE BEE R-66C -- 6850-00-527-2426

Product ID:CEE BEE R-66C MSDS Date:08/05/1993

FSC:6850

NIIN:00-527-2426

MSDS Number: BYDDB === Responsible Party ===

Company Name: MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

Box:NONE City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:213-803-4311 OR 213-861-

Emergency Phone Num:213-803-4311/CHEMTREC 800-424-9300

CAGE:71361

=== Contractor Identification ===

Company Name: MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

Company Name: VENUS LABORATORIES INC

Address:15571 COMMERCE LANE Box:City:HUNTINGTON BEACH

State:CA ZIP:92649 Country:US

Phone:714-881-3100

CAGE:0N140

======= Composition/Information on Ingredients ========

Ingred Name:PHOSPHO

RIC ACID (SARA III) CAS:7664-38-2 RTECS #:TB6300000 Fraction by Wt: 1-5% Other REC Limits: NONE SPECIFIED BY M. OSHA PEL:1 MG/M3/3 STEL ACGIH TLV:1 MG/M3/3 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification =========================== LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:**TARGET-ORGANS:SKIN, EYES** ACUTE-CORROSIVE TO TARGET ORGANS. CHRONIC: NONE KNOWN. Explanation of Carcinogenicity: MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:EYE:CORROSIVE TO EYES. SKIN:CORROSIVE TO SKIN. INHALATION: IRRITATION OF NOSE & THROAT. INGESTION: NAUSEA, HEADACHE, BURNS OF MOUTH & THROAT. Medical Cond Aggravated by Exposure: NONE KNOWN. ======= First Aid Measures ====== First Aid:FLUSH EYES WITH WATER FOR AT LEAST 15 MINS. FLUSH SKIN WITH WATER FOR AT LEAST 15 MINUTES. IF INHALED, REMOVE TO FRESH AIR. IF INGESTED & CONSCIOUS, GIVE SEVERAL GLASSES OF WATER & GET IMMEDIATE

MEDIC AL ATTENTION. DO NOT INDUCE VOMITING.

============= Fire Fighting Measures ========================

Flash Point:NONE

Extinguishing Media:NOT FLAMMABLE

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS & FULL

PROTECTIVE GEAR SHOULD BE WOR

N. Unusual Fire/Explosion Hazard:NONE KNOWN.
======== Accidental Release Measures ==========
Spill Release Procedures:TREAT W/LIME OR SODA ASH & FLUSH TO SEWER W/WATER.
Neutralizing Agent:LIME OR SODA ASH.
============= Handling and Storage ==============
Handling and Storage Precautions:MFR GAVE NO INFORMATION ON MSDS. Other Precautions:MFR GAVE NO INFORMATION ON MSDS.
====== Exposure Controls/Personal Protection ========
Respirator y Protection:IF TWA IS EXCEEDED, MUST BE NIOSH OR MSHA APPROVED. Ventilation:MFR GAVE NO INFORMATION ON MSDS. Protective Gloves:RUBBER Eye Protection:CHEMICAL GOGGLES &/OR FACE SHIELD Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT. **HMIS SUGGESTS ALSO A SAFETY SHOWER & EYE WASH STATION. Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIENE PRACTICES. AVOID CONTACT IF AT ALL POSSIBLE. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE
==== =================================
HCC:C1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:200F,93C Vapor Pres:AS WATER Vapor Density:AS WATER

Spec Gravity:1.01 pH: