View NSN Online: https://aerobasegroup.com/nsn/6850-01-216-6823

HEWLETT-PACKARD CO BOISE DIV -- 92285A/Z;HP-N,HP-NU CARTRIDGE -- 6850-01-216-6823

Product ID:92285A/Z;HP-N,HP-NU CARTRIDGE MSDS Date:03/01/1993 FSC:6850 NIIN:01-216-6823 MSDS Number: BYFMJ === Responsible Party === Company Name: HEWLETT-PACKARD CO BOISE DIV Address:11311 CHINDEN BLVD City:BOISE State:ID ZIP:83707 Country:US Info Phone Num:208-323-6000 Emergency Phone Num:208-323-6000 CAGE:18660 === Contractor Identification === Company Name: HEWLETT-PACKARD CO BOISE DIV Address:11311 CHINDEN BLVD Box:City:BOISE State:ID ZIP:83714 Country:US Phone:208-396-6000 CAGE:18660

Ingred Name:STYRENE ACRYLATE COPLOYMER Fraction by Wt: 45-55% Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE CAS:1317-61-9 Fraction by Wt: 45-55% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH LD50 LC50 Mixture:ACGIH TLV FOR NUISSANCE DUST IS 10MG/M3 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TONER POWDER IS NOT ACCESSIBLE UNLESS CARTRIDGE IS FORCED OPEN OR BROKEN.TONER POWDER IS NUISSANCE DUST AND MAY CAUSE RESPIRATORY TRACT IRRITATION.

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0. 1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure: INHAL: IRRITATION. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:UNLIKELY ROUTE OF EXPOS URE.GET PROMPT QUALIFIED MEDICAL ATTENTION.

Flash Point:NONE

Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

Spill Release Procedures: VENTILATE AREA.USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT.SWEEP OR VAC UUM; DO NOT CREATE DUST; PLACE IN A DRY CONTAINER FOR DISPOSAL.CLEAN SPILL AREA WITH WATER. Neutralizing Agent: NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM INCOMPATIBLE MATERIALS. Other Precautions:KEEP OUT OF REACH OF CHILDREN.

Respiratory Protection

:NOT NEEDED IN NORMAL SERVICE. Ventilation:USE GENERAL DILUTION VENTILATION. Protective Gloves:NOT NEEDED IN NORMAL SERVICE. Eye Protection:NOT NEEDED IN NORMAL SERVICE. Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health

NONE

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:212F-302F Vapo r Pres:NEGLIGIBLE Spec Gravity:1.4-1.6 Evaporation Rate & amp; Reference:NEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance and Odor:SOLID.COLOR AND ODOR NOT REPORTED.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:DUSTY CONDITIONS WITH SOURCES OF IGNITION. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE.

======= Disposal Considerations =======

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. An

y person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.