View NSN Online: https://aerobasegroup.kr/nsn/6850-01-399-0676

## 

Product ID:OXSOL 100 MSDS Date:02/17/1994

FSC:6850

NIIN:01-399-0676

MSDS Number: BYFPD === Responsible Party ===

Company Name: OCCIDENTAL CHEMICAL CORPORATION Address: CUSTOMER SERVICE, OCCIDENTAL TOWER

Box:809050 City:DALLAS State:TX ZIP:75380 Country:US

Info Phone Num:214-404-3523/716-286-3081

Emerg

ency Phone Num:800-733-3665/716-278-7021

CAGE:0AH54

=== Contractor Identification ===

Company Name: OCCIDENTAL CHEMICAL CORPORATION

Address:5005 LYNDON B JOHNSON FWY

Box:City:DALLAS

State:TX

ZIP:75244-6198 Country:US

Phone: 800-752-5151/972-404-3800

CAGE:0AH54

======= Composition/Information on Ingredients ========

Ingred Name:P-CHLOROBENZOTRIFLUORIDE (PCBTF) (BENZENE, 1-CHLORO-4-TRIFLUOROMETHYL)

CAS:98-56-6

RTECS #:XS9145000 Fraction by Wt: >97%

Other REC Limits: NONE RECOMMENDE

Ingred Name:2-CHLOROBENZOTRIFLUORIDE OR O-BENZOTRILFUORIDE OR BENZENE, 1-CHLORO-2-(TRIFLUORMETHYL)-CAS:88-16-4
Fraction by Wt: 0.05-3% Other REC Limits:NONE RECOMMENDED
Ingred Name:3,4-DICHLOROBENZOTRIFLUORIDE CAS:328-84-7
Fraction by Wt: 0.05-1% Other REC Limits:NONE RECOMMENDED
======================================
Flash Point Method:TCC Flash Point:109F,43C Autoignition Temp:Autoignition Temp Text:>500C Lower Limits:0.9 Upper Limits:10.5
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM, HALON.
Fire Fighting Procedures:TURN OFF ELECTRICAL EQUIPMENT. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.
Unusual Fire/Explosion Hazard:OVERHEQATED DRUMS MAY EXPLODE. HEAVY VAPORS MAY TRAVEL TO SOURCE OF IGNITION AND FLASHBACK. DECOMPOSITION BY BURING MAY YEILD TOXIC HYDROGEN CHLORIDE/FLUORIDE.
===== Exposure Controls/Personal Protection =======
Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:F4 Boiling Pt:B.P. Text:282F,139C Melt/Freeze Pt:M.P/F.P Text:-33F,-36C Vapor Pres:5.3 Spec Gravity:1.34 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID.
======================================
Stability Indicator/Materials to Avoid:YES REACTS WITH STRONG OXIDIZING AGENTS SUCH AS PERMANGANATES AND DICHROMATES.

Stability Condi

tion to Avoid:UNDER NORMAL CONDITIONS THIS PRODUCT IS STABLE. AVOID CONTACT WITH HEAT, SPRAKS, OPEN FLAME.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.