

NSCG, INC. -- G-641 SILICONE COMPOUND -- 6850-00-281-4033

=====
Product Identification
=====

Product ID:G-641 SILICONE COMPOUND

MSDS Date:10/27/1995

FSC:6850

NIIN:00-281-4033

MSDS Number: BYGYD

=== Responsible Party ===

Company Name:NSCG, INC.

Address:5109 HAMILTON AVENUE

City:CLEVELAND

State:OH

ZIP:44114

Country:US

Info Phone Num:216-881-8111

Emergency Phone Num:216-881-8111

CAGE:0ZEE4

=== Contr

actor Identification ===

Company Name:NSCG INC

Address:5109 HAMILTON AVE

Box:City:CLEVELAND

State:OH

ZIP:44114

Country:US

Phone:216-881-8111/FAX 216-881-5318

CAGE:0ZEE4

=====
Composition/Information on Ingredients
=====

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

Fraction by Wt: 60-80% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10MG/M3 TDUST/5 FUME

ACGIH TLV:10MG/M3 TDUST; 9192

Ingred Name:POLY (DIMETHYLSILOXANE)

CAS:63148-62-9

RTECS #:JJ6484500

Fraction by Wt:

10-30% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, AMORPHOUS (FUMED)

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: .5-5% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>500F,>260C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures:NONFLAMMABLE. USE STANDARD FIREFIGHTING

PROCEDURES FOR SURROUNDING MATERIALS IN THE FIRE.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V7

Boiling Pt:B.P. Text:>572F,>300C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:2.6

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:INSOLUBL

E

Appearance and Odor:PASTE, SLIGHT ODOR

Percent Volatiles by Volume:< 1%

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressl

y or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.