View NSN Online: https://aerobasegroup.com/nsn/6850-00-874-5847

SHERWIN-WILLIAMS CO THE, SPRAYON PRODUCTS DIV -- 00711 03711 PENETRANT/LUBRICANT -- 6850-00-874-5847

Product ID:00711 03711 PENETRANT/LUBRICANT

MSDS Date:02/05/1994

FSC:6850

NIIN:00-874-5847

MSDS Number: BYGYT === Responsible Party ===

Company Name: SHERWIN-WILLIAMS CO THE, SPRAYON PRODUCTS DIV

Address:31500 SOLON RD

City:SOLON State:OH

ZIP:44139-5000

Country:US

Info Phone Num:800-777-2966

Emergency Phone Num:800-777-2966

CAGE:DO642

=== Contractor Identification ===

Company Name: SHERWIN-WILLIAMS CO THE SPECIALTY DIV.

Address:6830 COCHRAN RD.

Box:6709 City:SOLON State:OH

ZIP:44139-3908

Phone:216-292-7400

CAGE:DO642

Company Name: SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE Box:City:BEDFORD HEIGHTS

State:OH ZIP:44146 Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

===== Composition/Information on Ingredients ====

=======

Ingred Name: VM & P NAPHTHA

CAS:64742-89-8 Fraction by Wt: 71%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT-REFINED (MILD),

LIGHT NAPHTHENIC

CAS:64741-97-5 RTECS #:PY8041000 Fraction by Wt: 2%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

Fractio n by Wt: 3%

Other REC Limits: NONE RECOMMENDED

============ Hazards Identification =========================

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: IRRITATION OF EYES AND RESPIRATORY

SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOSUNESS AND POSSIBLY DEATH.

Explanation of Carcinogenicity: NOT CARCINOGENIC.

Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA, AND LOSS OF

COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSU RE.

Medical Cond Aggravated by Exposure: NONE ARE GENERALLY RECOGNIZED.

First Aid:IF INHALED-IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. IF IN EYES-FLUSH EYES WITH LARGE AMOUNTS OF WATER F

OR 15 MIN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. IF SWA LLOWED-GET MEDICAL ATTENTION.

=========== Fire Fighting Measures ==============

Flash Point Method:TCC Flash Point:140F,60C Lower Limits:0.9 Upper Limits:12.8

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: FULL PROTECTIVE EQUIPMENT INCLUDING

SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED FOG NOZZLES PREFERABLE.

Unu

sual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, SPARKS, LECETRICAL EQUIPMENT & OPEN FLAMES. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

======== Accidental Release Measures ===========

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

========== Handling and Storage ================

Handling and Sto

rage Precautions: CONTENTS UNDER PRESSURE. DO NOT

PUNCTURE, INCINERATE OR EXPOSE TO TEMPERATURES ABOVE 130F. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES. VAPORS WILL ACCUMULATE & MAY IGNITE EXPLOSIVELY. DURING USE & UNTIL ALL VAPORS ARE GONE: KEEP AREA VENTILATED - DO NOT SMOKE. USE APPROVED BONDING AND GRIN DING PROCEDURES.

====== Exposure Controls/Personal Protection ========

Respiratory

Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION AGAINST MATERIAL.

Ventilation:LOCAL EXHAUST PREFERABLE. GENERAL EXHAUST ACCEPTABLE IF THE EXPOSURE IS MAINTAINED BELOW ACCEPTABLE EXPOSURE LIMITS.

Protective Gloves: AVOID CONTACT WITH SKIN.

Eye Protection: SAFETY SPECTACLES WITH SIDESHIELDS.

Other Protective Equipment: AVOID CONTACT WITH SKIN

AND EYES.

Work Hygienic Practices: WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

WASTE FROM THIS PRODUCT MAY BE HAZARDOUS AS DEFINED UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) 40 CFR 201. WASTE MAY BE TESTED FOR EXTRACTABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBER.

======== Physical/Chemical Properties ==========

HCC:V3

Boiling Pt:B.P. Text: