

View NSN Online: <https://aerobasegroup.kr/nsn/5640-01-133-9762>

INSTA-FOAM PRODUCTS INC -- FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT -- 5640-01-133-9762

===== Product Identification =====

Product ID:FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT

MSDS Date:07/17/1995

FSC:5640

NIIN:01-133-9762

Kit Part:Y

MSDS Number: BYGZC

=== Responsible Party ===

Company Name:INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:NONE

City:JOLIE

T

State:IL

ZIP:60435

Country:US

Info Phone Num:815-741-6800

Emergency Phone Num:815-741-6800

Preparer's Name:M ORTEGA

CAGE:54577

=== Contractor Identification ===

Company Name:INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:City:JOLIET

State:IL

ZIP:60435

Country:US

Phone:815-741-6800

CAGE:54577

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA 313)

CAS:101-68-8

RTECS #:NQ9350000

Fraction by Wt: 40-70%

Other REC Lim

its:0.005 PPM
OSHA PEL:C 0.02 PPM
ACGIH TLV:0.005 PPM; 9495
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:POLYMETHYLENE POLYPHENYLENE POLYISOCYANATE
CAS:9016-87-9
RTECS #:TR0350000
Fraction by Wt: 40-70%

Ingred Name:CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)
CAS:75-45-6
RTECS #:PA6390000
Fraction by Wt: 7-13%
Other REC Limits:1000 PPM
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9495
Ozone Depleting Chemical:2

=====
===== Hazards Identification =====

LD50 LC50 Mixture:MDI
LD50 (ORAL RAT) 15 GM/LG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CAUTION! CONTENTS UNDER PRESSURE.
IRRITATING TO EYES, SKIN & RESPIRATORY TRACT. MAY CAUSE
SENSITIZATION BY SKIN CONTACT & INHALATION. EXPOSURE TO INDIVIDUALS
W/ASTHMA, ECZEMA &/OR ALLERGIES MAY AGGRAVATE EXISTING CONDITIONS.
Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT
CARCINOGENICITY. HMIS
FOUND NO LISTING & DOES NOT EXPECT IT TO BE
CARCINOGENIC.
Effects of Overexposure:COUGHING, WHEEZING, SHORTNESS OF BREATH.
Medical Cond Aggravated by Exposure:EXPOSURE TO INDIVIDUALS W/ASTHMA,
ECZEMA &/OR ALLERGIES MAY AGGRAVATE EXISTING CONDITIONS.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH W/CLEAN, LOW PRESSURE WATER FOR 15 MIN. WHILE
HOLDING EYELIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING, WASH
W/SOAP & WATER. INHALATION:REMOVE

TO FRESH AIR. INGESTION:GIVE
LARGE AMOUNT OF LIQUIDS. DON'T INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point:>390F,>199C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER
Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CONTAIN SPILL &
COLLECT USING A SUITABLE ABSORBENT MATERIAL (SAWDUST/VERMICULITE).
SHOVEL INTO WASTE CONTAINER ADDING DECONTAMINATE SOLUTION. LEAVE
UNCOVERED FOR 24 HOURS PRIOR TO DISPOSAL.
Neutralizing Agent:DECONTAMINATE SOLUTION:90% WATER, 7% AMMONIA, 3%
DETERGENT

===== Handling and Storage =====

Handling and Storage Precautions:CONTENTS UNDER PRESSURE. AVOID OPEN
FLAMES. DO NOT PUNCTURE OR INCINERATE. STORAGE TEMPERATURE