

SHERWIN INC -- DUBL-CHEK MPF -- 6850-01-196-5472

=====
Product Identification
=====

Product ID:DUBL-CHEK MPF
MSDS Date:05/01/1995
FSC:6850
NIIN:01-196-5472
MSDS Number: BYHKKH
=== Responsible Party ===
Company Name:SHERWIN INC
Address:5530 BORWICK AVE
City:SOUTH GATE
State:CA
ZIP:90280
Country:US
Info Phone Num:310-861-6324
Emergency Phone Num:310-861-6324,800-424-9300(CHEMTREC)
Preparer's Name:NO
NE
CAGE:21405
=== Contractor Identification ===
Company Name:SHERWIN INC.
Address:5530 BORWICK AVE.
City:SOUTH GATE
State:CA
ZIP:90280-7402
Country:US
Phone:562-861-6324/FAX 923-8370
CAGE:21405

=====
Composition/Information on Ingredients
=====

Ingred Name:TECHNICAL WHITE OILS
CAS:8042-47-5
RTECS #:PY8047000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 OIL MISTS
ACGIH TLV:5 MG/M3 MISTS 9394

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: SEVERE IRRITATION. SKIN: IRRITATION. INHALATION: LIGHT HEADINESS. INGESTION: NOT LIKELY TO OCCUR. CHRONIC: NOT KNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION. INHALATION: LIGHT HEADINESS. INGESTION: NOT LIKELY TO OCCUR

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. IF ADVERSE SYMPTOMS DEVELOP, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F,>93C

Lower Limits:0.6%

Upper Limits:7.0%

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:DO NOT USE DIRECT STREAM OF WATER, IT SPREADS THE FIRE. PRODUCT MAY FLOAT AND REIGNITE.

Unusual Fire/Explosion Hazard:ON BURNING, THIS PRODUCT MAY RELEASE TOXIC FUMES AND VAPORS. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.

===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL FLAMES. DIKE AREA. TAKE UP WITH AN ABSORBENT FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT SPLASH OR CREATE MISTS OR VAPORS. STORE AWAY FROM HIGH TEMPERATURES AND OPEN FLAMES

. KEEP
CONTAINERS CLOSED.

Other Precautions:EMPTIED CONTAINERS RETAIN VAPOR AND PRODUCT RESIDUES.
DO NOT CUT OR WELD ON OR NEAR THIS CONTAINER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH-APPROVED RESPIRATOR IF VAPORS OR MISTS
ARE GENERATED.

Ventilation:LOCAL EXHAUST IS ADVISABLE. MECHANICAL (GENERAL) USUALLY
NOT NECESSARY.

Protective Gloves:CHEMICAL RESISTANT RECOMMENDED.

Eye Protection:CHEMICAL SPLASH GOGGLES FOR SPLASH
ING.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:450F,232C

Vapor Pres:1

Vapor Density:> 5

Spec Gravity:0.81

Evaporation Rate & Reference: