

METALLURGICAL TECHNOLOGIES,INC -- METEC 4011C -- 3439-01-386-0416

=====
Product Identification
=====

Product ID:METEC 4011C
MSDS Date:04/10/1991
FSC:3439
NIIN:01-386-0416
MSDS Number: BYHMG
=== Responsible Party ===
Company Name:METALLURGICAL TECHNOLOGIES,INC
Address:14435 MAX ROAD
City:PEARLAND
State:TX
ZIP:77581
Country:US
Info Phone Num:713-485-7765
Emergency Phone Num:713-485-7765
CAGE:63726

=
== Contractor Identification ==
Company Name:METALLURGICAL TECHNOLOGIES,INC
Address:14435 MAX ROAD
Box:City:PEARLAND
State:TX
ZIP:77581
Country:US
Phone:713-485-7765
CAGE:63726

=====
Composition/Information on Ingredients
=====

Ingred Name:NICKEL
CAS:7440-02-0
RTECS #:QR5950000
Fraction by Wt: 80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3

Ingred Name:ALUMINIUM
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: 20%
Other REC Limits:NONE RECOMMENDED

=

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHALATION: ACUTE-BRONCHITIS.
CHRONIC-SIDEROSIS. EYE CONTACT: ACUTE-MECHANICAL IRRITATION.
CHRONIC-CONJUNCTIVITIS.
Explanation of Carcinogenicity:NICKEL METAL IS DEEMED A POSSIBLE CANCER
HAZARD BY NTP. IARC HAS DESIGNATED NICKEL/NICKEL COMPOUNDS AS HUMAN
CARCINOGENS

E

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:MAY CAUSE ALLERGIC SKIN REACTIONS
OR ASTHMA IN INDIVIDUALS SENSITIVE TO NICKEL.

=====
First Aid Measures
=====

First Aid:EYES-IRRIGATE WITH WATER FOR AT LEAST 15 MIN. SKIN-WASH OFF
IN FLOWING WATER. INGESTION-INDUCE VOMITING IF LARGE AMOUNTS ARE
INGESTED. INHALATION-REMOVE TO FRESH AIR IF EFFECTS OCCUR. CONSULT
PHYSICIA N.

=====
Fire
Fighting Measures
=====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:SALT, DRY SAND, TYPE D EXTINGUISHER.
Fire Fighting Procedures:DO NOT USE WATER. DO NOT DISTURB BURNING
POWDER UNTIL COOL.
Unusual Fire/Explosion Hazard:NOT CONSIDERED FLAMMABLE; HOWEVER, FINELY
DIVIDED POWDER IN THE FORM OF A DUST CLOUD CAN IGNITE IF CONTACTED
BY AN IGNITION SOURCE.

=====
Accidental Release Measures
=====

Spill Release Procedures:VACUUMING RECOMMENDED INSTEAD OF DRY SWEEPING
TO AVOID GENERATION OF AIRBORNE DUST.
Neutralizing Agent:NA

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE ADJACENT TO STRONG
OXIDIZERS.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED DUST RESPIRATORS WHENEVER DUST
LEVELS ARE ENCOUNTERED.
Venti

lation:LOCAL EXHAUST REQUIRED OF OSHA STANDARD IS EXCEEDED.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

WARNING! CHROME AND/OR NICKEL AND/OR COBALT METAL. PROLONGED OR EXCESSIVE INHALATION MAY CAUSE CANCER. MAY CAUSE ALLERGIC SKIN REACTION.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:2642F,1450C

Decomp Temp:Decomp Text:NA

Vapor Pres:1 MM

Vapor Density:NA

Spec Gravity:8.4

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE.

Appearance and Odor:METALLIC GREY POWDER

Percent Volatiles by Volume:NA

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

PURE OXYGEN OR OTHER OXIDIZERS.

Stability Condition to Avoid:D

USTING, EXPOSURE TO DIRECT FLAME INFINELY DIVIDED FORM

Hazardous Decomposition Products:CONTACT WITH MINERAL ACIDS LIBERATE HYDROGEN, WHICH MAY BE FIRE HAZARD.

===== Disposal Considerations =====

Waste Disposal Methods:PROCEDURES COMPLYING WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United Sta

tes of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.