

BECTON DICKINSON VACUTAINER SYSTEMS -- 6479 VACUTAINER BRAND PLASMA TUBES  
W/GLYCOLYTIC INHIBITOR -- 6630-01-089-5444

===== Product Identification =====

Product ID:6479 VACUTAINER BRAND PLASMA TUBES W/GLYCOLYTIC INHIBITOR

MSDS Date:11/13/1988

FSC:6630

NIIN:01-089-5444

MSDS Number: BYPBJ

=== Responsible Party ===

Company Name:BECTON DICKINSON VACUTAINER SYSTEMS

Address:1 BECTON DR

City:FRANKLIN LAKE

S

State:NJ

ZIP:07417-1885

Country:US

Info Phone Num:201-847-4900

Emergency Phone Num:201-847-4900

CAGE:06531

=== Contractor Identification ===

Company Name:BECTON DICKINSON AND CO, BECTON DICKINSON DIV.

Address:1 BECTON DR

City:FRANKLIN LAKES

State:NJ

ZIP:07417-1884

Country:US

Phone:201-847-4000, 800-333-4831

CAGE:06531

Company Name:BECTON DICKINSON VACUTAINER SYSTEM

Address:1 BECTON DRIVE

Box:City:FRANKLIN LAKES

State:NJ

ZIP:07417-1885

Country:US

Phone:800-631-0174/800-424-9300

CAGE:7W260

=====

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM FLUORIDE

CAS:7681-49-4

RTECS #:WB0350000

Fraction by Wt: 100%

OSHA PEL:2.5 MG/CUM

ACGIH TLV:2.5 MG/CUM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: SEVERE MUCOUS MEMBRANE IRRITATION, DELAYE

D LUNG EDEMA. SKIN: IRRITATION, CORROSIVE ON

MOIST SKIN, DERMATITIS. EYES: IRRITATION & CONJUNCTIVITIS.

INGESTION: CORROSION OF GASTRIC MUCOSA.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, COUGHING, LABORED BREATHING, HEADACHE, CYANOSIS, REDNESS, PAIN, BLURRED VISION, NAUSEA, VOMITING, DIARRHEA, SALIVATION, PERSPIRATION, THIRST, DYSPNEA, CRIPPLING FLUOROSIS, CALCIFICATION OF LIGAMENTS, WEIGHT LOSS, BRITTLENESS OFBONES, ANEMIA, WEAKNESS, MOTTLIN

G OF TOOTH ENAMEL,  
OSTEOSCLEROSIS.

Medical Cond Aggravated by Exposure:DERMATITIS,

RESPIRATORY/CARDIOVASCULAR DISEASE, DISEASES OF BONE/JOINT,  
CONJUNCTIVITIS.

=====  
First Aid Measures  
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. MAINTAIN AIRWAY & BLOOD PRESSURE. GIVE OXYGEN IF NEEDED. SKIN: WASH W/SOAP & WATER FOR 15 MINS. EYES: FLUSH W/WATER. INGESTION: IF CONSCIOUS, GIVE MILK, CALCIUM GLUCONATE SOLUTION/CALCIUM LACTATE SOLUT

ION.CALCIUM SALTS

SHOULD BE 10 GMS/250 ML WATER, CALCIUM GLUCONATE 10 GMS & MAGNESIUM SULFATE 30 GMS/200 ML WATER ORALLY. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures  
=====

Flash Point:NON-FLAMMABLE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:AVOID BREATHING CORROSIVE VAPORS FROM FIRE.

MATERIAL MAY BURN BUT DOESN'T IGNITE READILY. MAY NEED ACID GAS SORBENT.

=====

=== Accidental Release Measures =====

Spill Release Procedures:SMALL DRY: DON'T TOUCH/BREATHE DUST. WEAR DUST MASKS. GENTLY SWEEP UP. DON'T USE WATER ON MATERIAL. SMALL LIQUID: NEUTRALIZE TO A PH-7. USE ABSORBENT MATERIAL. CLEAN-UP FOR LATER DISPOSAL.

Neutralizing Agent:SMALL LIQUID-SODIUM BICARBONATE/SLAKED LIME.

===== Handling and Storage =====

Handling and Storage Precautions:STORE & HANDLE ACCORDING TO PACKAGED INSTRUCTIONS  
. STORE IN A DRY LOCATION. DON'T STORE ADJACENT TO ACIDS/ALKALIS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL & INTENDED USES.  
Ventilation:GENERAL ROOM VENTILATION.  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:EMERGENCY EYE BATH  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:3083-3099F  
Spec Gravity:2.78  
S  
olubility in Water:4.3%  
Appearance and Odor:COLORLESS WHITE TETRAGONAL CRYSTALS/POWDER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS, GLASS, ALUMINUM.  
Hazardous Decomposition Products:THERMAL DECOMPOSITION: HYDROGEN FLUORIDE & SODIUM OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. NORMALLY SMALL VOLUMES OF NEUTRA

L PH MATERIAL CAN BE  
DISPOSED INTO A SEWER SYSTEM.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suit  
ability of this information to their  
particular situation.