View NSN Online: https://aerobasegroup.kr/nsn/6840-01-164-3159 WAVE ENERGY SYSTEMS INC. -- 0104 WAVICIDE-01 -- 6840-01-164-3159 Product ID:0104 WAVICIDE-01 MSDS Date:06/27/1994 FSC:6840 NIIN:01-164-3159 MSDS Number: BYPCD === Responsible Party === Company Name: WAVE ENERGY SYSTEMS INC. Address:25 MANSARD COURT City:WAYNE State:NJ ZIP:07470-5000 Country:US Info Phone Num:800-252-1125/201-633/1012 Emergency Phone Num:800-252-11 25/201-633-1012 CAGE:8G992 === Contractor Identification === Company Name: WAVE ENERGY SYSTEMS, INC. Address:216 LITTLE FALLS ROAD Box:City:CEDAR GROVE State:NJ ZIP:07009 Phone: (201) 857-1125 CAGE:8G992 ======= Composition/Information on Ingredients ======== Ingred Name: GLUTARALDEHYDE CAS:111-30-8 RTECS #:MA2450000 Fraction by Wt: 2.5% Other REC Limits: 0.2 PPM OSHA PEL:0.2 PPM

**ACGIH TLV:0.2 PPM** 

============= Hazards Identification ========================

Routes of Entry:

Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION: MAY CAUSE GENERAL SYSTEMIC ILLNESS. EYES: CONTACT W/LIQUID CAUSES IRRITATION. SKIN: POSSIBILITY OF SENSITIZATION EXISTS. FULL STRENGTH SOLUTION MAY CAUSE YELLOWING OF SKIN. Explanation of Carcinogenicity:NONE Effects of Overexposure:NAUSEA, VOMITING, IRRITATION, NASAL DISCOMFORT.
======================================
First Aid:INGESTION: DON'T GIVE WATER. DON'T INDUCE VOMITING. EYES: FLUSH W/PLENTY OF WATER. SKIN: FLUSH THOROUGHLY W/WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point:NONE Extinguishing Media:CO2, FOAM, DRY CHEMICAL Fire Fighting Procedures:USE SCBA & PROTECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING CHEMICAL FIRES.
=========== Accidental Release Measures ===
Spill Release Procedures:FLUSH HEAVILY W/WATER. VENTILATION IS RECOMMENDED.
============= Handling and Storage =============
Handling and Storage Precautions:STORE AT ROOM TEMP, PERFERABLY IN A COOL PLACE.
Other Precautions:AVOID CONTACT W/EYES, PROLONGED & REPEATED CONTACT W/SKIN & CONTAMINATION OF FOOD. AVOID INHALATION.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT GENERALLY REQUIRED, BUT IN A CONFINED/POORLY VENTILATED AREA THE USE OF NIOSH APPROVED RESPIRATORY MAY BE
REQUIRED.  Ventilation:LOCAL EXHAUST SYSTEM AS NEEDED TO AVOID EXPOSURE TO VAPORS.
Protective Gloves: RECOMMENDED
Eye Protection:SAFETY GLASSES/SPLASH GOGGLES/FACESHIELD Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health THE TLV & OSHA PEL FOR THE PRODUCT IS 0.2 PPMV.
========= Physical/Chemical Properties =========
HCC:T5 Boiling Pt

:B.P. Text:212F Vapor Pres:16.9 Vapor Density:0.64

Spec Gravity: 1.005-1.013

pH:6.3

Evaporation Rate & Evaporation R

Solubility in Water: COMPLETE

Appearance and Odor: A CLEAR, SLIGHTLY YELLOWISH LIQUID W/TYPICAL ALDEHYDE ODOR & ADDED LEMON SCENT

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ALKALIES CATALYZE AN ALDO-TYPE CONDENSATION (EXOTHERMIC BUT NOT EXPECTED TO BE VIOLENT).

Stability Condition to Avoid

:HIGH TEMPS (REMOVAL OF WATER, 200F).

Hazardous Decomposition Products: THERMAL: CO2, CO

======= Disposal Considerations ============

Waste Disposal Methods:WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE/AT AN APPROVED WASTE DISPOSAL FACILITY IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. Th

e United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.