View NSN Online: https://aerobasegroup.kr/nsn/6525-01-350-7762

AGFA DIV BAYER CORPORATION -- G-153C DEVELOPER FOR GEVAMATIC 60 PART B - 6525-01-350-7762

Product ID:G-153C DEVELOPER FOR GEVAMATIC 60 PART B MSDS Date:08/01/1995 FSC:6525 NIIN:01-350-7762 Kit Part:Y **MSDS Number: BYSFK** === Responsible Party === Company Name: AGFA DIV BAYER CORPORATION Address:100 CHALLENGER ROAD City:RIDGEFIELD PARK State:NJ ZIP:07660 Country:US Info Phone Num:201-440-2500 Emergency Phone Num:800-424-9300 CHEMTREC CAGE:59701 === Contractor Identification === Company Name: AGFA DIV BAYER CORPORATION Address:100 CHALLENGER ROAD Box:City:RIDGEFIELD PARK State:NJ ZIP:07660 Country:US Phone:201-440-2500 CAGE:59701 Ingred Name: ACETIC ACID (CERCLA) CAS:64-19-7

CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 15-20% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9495 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:GLUTARALDEHYDE-BIS-POTASSIUM BISULFITE CAS:68310-08-7 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Ingred Name:1-PHENYL-3-PYRAZOLIDONE CAS:92-43-3 RTECS #:UQ8750000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHYLENE GLYCOL CAS:111-46-6 RTECS #:ID5950000 Fraction by Wt: 45-50% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: CONTACT MAY CAUSE SEVERE IRRITATION AND BURNING OF SKIN AND EYES. INHALATION OF MIST MAY CAUSE RESPIRATORY IRRITATION. INGESTION MAY CAUSE SEVERE IRRITATION OR BURNING OF MUCOUS MEMBRANES OF DI GESTIVE TRACT. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION/SENSITIZATION. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENT RATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure: EYES-SEVERE IRRITATION, BURNING. SKIN-SEVERE IRRITATION/BURNING. INHALED-RESPIRATORY IRRITATION. INGESTED-IRRITATION OF MUCOUS MEMBRANES OF GI TRACT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES

. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH	
WITH WATER. INHALED-REMOVE TO FRESH AIR. INGESTED-OBTAIN IMMEDIAT	Е
MEDICAL ATTENTION.	

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. WATER MAY BE INEFFECTIVE BUT MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. Unusual Fire/E xplosion Hazard:EMITS TOXIC FUMES UPON THERMAL

DECOMPOSITION. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL TO SOURCE OF IGNITION.

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH INERT MATERIAL. SPILL MAY BE NEUTRALIZED WITH POWDERED SODIUM BICAR BONATE. Neutralizing Agent:POWDERED SODIUM BICARBONATE.

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED PLACE AWAY FROM INCOMPATIBLE MATERIALS. DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO WHERE PRODUCT USED/STORED Other Precautions:AVOOID SKIN & EYE CONTACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation: ROOM VENTILATION IS SUFFICIENT. AVOID USE OF UNVENTILATED AR

EAS. KEEP EXPOSURE BELOW TLV(S).

Protective Gloves:NITRILE, RUBBER.

Eye Protection: CHEMICAL GOGGLES.

Other Protective Equipment: APRON REQUIRED. DISPOSABLE COVERALLS OPTIONAL. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health KEY1=C3. PART B OF TWO PART KIT.

HCC:

B3 Boiling Pt:B.P. Text:221F,105C Spec Gravity:1.098 pH:2.90 Solubility in Water:COMPLETE Appearance and Odor:YELLOW SOLUTION; SLIGHT VINEGAR ODOR.

Stability Indicator/Materials to Avoid:YES STRONG ALKALIS, OXIDIZERS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES, CARBON MONOXIDE AND CARBON DIOXIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:RECOVER FREE LIQUID/CONTAMINATED WATER AND DISPOSE OF IN APERMITTED/APPROVED TREATMENT SYSTEM. REMOVE SOLID MATERIAL/CONTAMINATED SOIL & DISPOSE OF IN AN APPROVED/PERMITTED LANDFILL. DISCHARGE TO SEWE R REQUIRES APPROVAL OF PERMITTING AUTHORITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Uni

ted States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.