View NSN Online: https://aerobasegroup.kr/nsn/3439-01-382-1289

Product ID:METCO 308NS NICKEL GRAPHITE POWDER MSDS Date:08/19/1992 FSC:3439 NIIN:01-382-1289 **MSDS Number: BYSHH** === Responsible Party === Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP Address:1101 PROSPECT AVENUE City:WESTBURY State:NY ZIP:11590-2724 Country:U S Info Phone Num:516-334-1300 Emergency Phone Num:202-483-7616/800-424-9300(CHEMTREC) CAGE:39918 === Contractor Identification === Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP Address:1101 PROSPECT AVENUE Box:City:WESTBURY State:NY ZIP:11590-2724 Country:US Phone:516-334-1300 CAGE:39918

Ingred Name:NICKEL (SARA 313) (CERCLA) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 84.5% Other REC Limits:NONE RECOMMENDED OSHA P EL:1 MG/M3 ACGIH TLV:1 MG/M3; 9495

Ingred Name:COBALT (SARA 313) CAS:7440-48-4 RTECS #:GF8750000 Fraction by Wt: 0.5% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.02 MG/M3; A3; 9495

Ingred Name:CARBON GRAPHITE, SYNTHETIC CAS:7440-44-0 RTECS #:FF5250100 Fraction by Wt: 15.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:2 MG/M3 TDUST; 9495

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACT URER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:NICKEL:INHAL/SKIN HAZ.MAY CAUSE LUNG/NASAL SINUSES CANCER. COBALT: INHAL/SKIN HAZ.PROGRESSIVE, DIFFUSE PNEUMONIA, RESP SENS CHARACTERIZED BY COUGH, WHEEZING, SHORTNESS OF BREATH. ALLERGIC DERM OR ECZEMA. SUS PECT CARCINOGEN. CARBON GRAPHITE(SYNTHETIC):INHAL/EYE HAZ.UPPER RESP TRACT/EYES IRRIT. **Explanation of Carcinogenicity: PER MSDS** :NICKEL IS LISTED INNTP/IARC. COBALT SUSPECTED CARCINOGEN. Effects of Overexposure: EYE IRRIT, POSSIBLE SKIN DERMATITIS, INHAL IRRIT, PNEUMOCONIOSIS, POSSIBLE INGEST IRRIT. Medical Cond Aggravated by Exposure: CONSULT A PHYSICIAN. TARGET ORGANS:LUNGS, SKIN, UPPER RESPIRATORY TRACT, EYES.

First Aid:EYE:FLUSH W/SUFFICIENT AMT OF WATER.IF IRRIT PERSISTS CONSULT PHYSICIAN. SKIN:WASH W/SOAP/WATER. INHAL:EXPOSE TO FRES H AIR.

CONSULT PHYSICIAN IF IRRIT/RESP DISTRESS PERSISTS. INGEST:CONSULT PHYSICIAN.

======================================
Flash Point:NONE Extinguishing Media:USE CLASS D EXTINGUISHERS. Fire Fighting Procedures:TREAT AS METALLIC FIRE. Unusual Fire/Explosion Hazard:MODERATE FIRE HAZARD IN THE FORM OF DUST WHEN EXPOSED TO FLAME.
======================================
Spill Release Procedures:VACUUM LOOSE POWDER ONLY W/VACU UMS EQUIPPED W/HEPA FILTRATION. WET WIPE AREA CLEAN. DO NOT DRY SWEEP. AVOID GENERATING AIRBORNE DUST. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
 Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLES.STORE PROD CONTNRS IN WELL-VENTI,CLEAN,COOL,DRY AREA.STORE IN MANNER TO MINIMIZE PUNCTURES/BREAKAGE OF CNTNRS. Other Precautions:AVOID CONTACT OF MATL W/WATER/OXIDIZERS.DO NOT INGEST.AVOID INHA L/PROL/REP SKIN CONTACT/EYES.GOGG:COMBUST SPRAY SHADE#5,PLASMA SPRAY UP TO 40KW SHADE#9,40-60KW SHADE#10,>60KW SHADE#11.GOGG MAY BE APPR OPRIATE DURING OTHER PHASES OF PROD HNDL
======================================
Respiratory Protection:RESP NIOSH APPROVED W/FILTER CARTRIDGES APPROVED FOR DUST/FUMES/MISTS SHOULD BE WORN @ALL TIMES DURING THERMAL SPRAY PROCESS TO PROTECT OPERATOR FROM EXPOSURE TO DUST/FUMES. RESPIRATORS MAY ALSO BE WO RN WHEN PRODUCT HANDLING GENERATES DUST. Ventilation:PRODUCT SHOULD BE USED W/APPROPRIATE LOCAL EXHAUST VENTILATION PROVIDED.
Protective Gloves:ALUMINIZED GLOVE-PLASMA SPRAY,RUBB-OTHER Eye Protection:(SEE OTHER PRECAUTION SECITON OF MSDS.) Other Protective Equipment:EAR PROT-EXCESS NOISE LEVELS.AL APRON-PLASMA SPRAY PROCESS.OTHER APPRO PROT CLOTH AS NECESSARY-PROD HDLG EXCESS (SUPPLE) Work Hygienic Practices:WASH HANDS AFTER HANLDING.
Supplemental Safety and Health OTHER PROT EQPT:SKIN CONTA

CT.EYEWASH STATION, WASH FACILITIES.

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:2200F,1204C Spec Gravity:7.6 Solubility in Water:NEGATIVE Appearance and Odor:POWDER, NO ODOR.

Stability Indicator/Materials to Avoid:YES OXIDIZERS, ACIDS, SULFUR, NI(NO3)2, WOOD, COMBUSTIBLES. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: OZONE & NITRIC OXIDE ARE FORMED BY PLASMA FLAME (SIMILAR TO WELDING FUMES).THIS ACTION IS INDEPENDENT OF POWDER.

Waste Disposal Methods:EMPTY PRODUCT CONTAINERS/PRODUCT WASTE/CLEANING MEDIA SHOULD BE STORED & DISPOSED OF ACCORDING TO APPROPRIATE LOCAL, STATE AND FEDERAL REGULATORY GUIDELINES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elem ents of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.