View NSN Online: https://aerobasegroup.kr/nsn/3439-01-391-8640

METCO INC, SUB OF THE PERKIN-ELMER CORP -- METCO 201B-NS-1 ZIRCONIUM OXIDE POWDER -- 3439-01-391-8640

Product ID:METCO 201B-NS-1 ZIRCONIUM OXIDE POWDER

MSDS Date:05/05/1993

FSC:3439

NIIN:01-391-8640

MSDS Number: BYSHV === Responsible Party ===

Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

City:WESTBURY

State:NY

ZIP:11590-2724

C

ountry:US

Info Phone Num:516-334-1300

Emergency Phone Num:202-483-7616/800-424-9300(CHEMTREC)

CAGE:39918

=== Contractor Identification ===

Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:City:WESTBURY

State:NY

ZIP:11590-2724 Country:US

Phone:516-334-1300

CAGE:39918

======= Composition/Information on Ingredients ========

Ingred Name:ZIRCONIUM OXIDE

CAS:1314-23-4


RTECS #:ZH8800000 Fraction by Wt: 91.5%

Other REC Limits: NONE RECOMMENDED

Ingred N

ame:CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 Fraction by Wt: 5.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495 Ingred Name: ORGANIC BINDER Fraction by Wt: 1.0% Other REC Limits: NONE RECOMMENDED Ingred Name: HAFNIUM OXIDE CAS:12055-23-1 Fraction by Wt: 2.0% Other REC Limits: NONE RECOMMENDED Ingred Name: SILICON (II) OXIDE CAS:10097-28-6 Fraction by Wt: 0.5% Other REC Limits: NONE RECOMMENDED ====== Hazards I dentification ========== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ZIRCONIUM OXIDE:INHAL/SKIN HAZ.NUISANCE DUST.IRRIT RESP TRACT.SKIN IRRIT,SKIN GRANULOMAS.CALCIUM CARBONATE: INHAL/EYE HAZ.LUNG/EYE IRRIT.ORG BINER:MILDLY TOXIC BY INGEST.GENERAL PUROSE FOOD ADDITIVE.HA FNIUM OXIDE:SKIN/EYE/INHAL HAZ.RESP TRACT IRRIT,SKIN/ **EYE MILD** IRRIT.SILICON OXIDE:INHAL/EYE HAZ.RESP TRACT IRRIT,(SUPPL) Effects of Overexposure: POSSIBLE EYE IRRIT, POSSIBLE SKIN IRRIT, INHAL IRRIT, POSSIBLE INGEST IRRIT. Medical Cond Aggravated by Exposure: CONSULT PHYSICIAN. TARGET ORGANS:RESP TRACT, SKIN, LUNGS, EYES, GASTROINTESTINAL TRACT, ------ First Aid Measures -----

First Aid:EYE:FLUSH W/WATER.IF IRRIT PERSISTS CONSULT PHYSICIAN. SKIN:WASH W/SOAP/WATER. INHAL:EXPOSE TO FRESH AIR.CONSU



Supplemental Safety and Health	
HAZ DECOMP PROD: POWDER. ORGBINDER EMIT TOX NA2O FUMES WHEN HEAT T	ГО
DECOMP. HEA HAZ:SILICOSIS,PULM FIB(IBROTIC CHANGES ON XRAY	
EXAM, SHORT OF BREATH, COUGH, DECR CHEST EXPAN, LESS WORK CAP, INCRE	Ε
SUSC TO TUB ERCULOSIS)CONJ,EYE IRRIT. OTH PROT EQPT:CONTACT,EYEWA	\SH
STATION,WASH FACI.	
DI : 1/01 : 1D : :	

======== Physical/Chemical Properties ===========

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:4500F,2482C

Spec Gravity:2.1

TER HANI DING

Solubility in Water: NEGATIVE

Appearance and Odor:POWDER, NO ODOR.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

OXIDIZERS,ACIDS,SULFUR,NI(NO3)2,COMBUST.SODIUM OXIDE IN ORG BINER VERY REACTIVE-COMBINES VIOL W/WATER TO FORM NAOH.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OZONE & NITRIC OXIDE ARE FORMED BY PLASMA FLAME(SIMILAR TO WELDING FUMES).THIS ACTION IS INDEPENDENT OF CERAMIC (SUPP)

=====

====== Disposal Considerations ==========

Waste Disposal Methods:EMPTY PRODUCT CNTNRS/PROD WASTE/CLEANING MEDIA SHOULD BE STORED & DISPOSE OF ACCORDING TO APPROPRIATE LOC/STATE/FED REGULATORY GUIDELINES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be a ccurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.