

LUBRICATION TECHNOLOGY INC -- CHRISTO-LUBE MCG 1002 OIL

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-036-9604
MSDS Date: 02/02/1994
MSDS Num: BYTLC
Product ID: CHRISTO-LUBE MCG 1002 OIL
MFN: 01
Responsible Party
Cage: 0JRD3
Name: LUBRICATION TECHNOLOGY INC
Address: 310 MORTON ST
City: JACKSON OH 456
40
Info Phone Number: 614-286-2644
Emergency Phone Number: 614-286-2644
Preparer's Name: UNKNOWN
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 0JRD3
Name: LUBRICATION TECHNOLOGY INC
Address: 310 MORTON ST
City: JACKSON OH 45640
Phone: 740-286-2644
Cage: 0PGK2
Name: SDB CONSULTANTS LTD
Address: 401 WHITNEY AVE SUITE 120
City: GRETNA LA 70056
Phone: 504-366-9105

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL, HYDRAULIC
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: LB
UI Container Qty: 0
Type of Container: PLASTIC BOTTL

=====
Ingredients
=====

Name: NON-HAZARDOUS INGREDIENTS
% Wt: 100
Other REC Limits: NONE RECOMMENDE

D
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS NOT KNOWN.
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS:NONE. ACUTE- NONE. CHRONIC- NONE.
Explanation Of Carcinogenicity: NONE
Signs And Symptoms Of Overexposure: UNKNOWN
Medical Cond Aggravated By Exposure: UNKNOWN
First Aid: CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. ORAL:IF CONSCIOUS, INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE FLUID OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAS CONVULSIONS.

=====
Handling and Disposal
=====

=====
Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. REMOVE SPILLS WITH SAND, CLAY, EARTH. PLACE INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS.
Neutralizing Agent: NOT RELEVANT
Waste Disposal Methods: LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
Handling And Storage Precautions: STORE IN COOL, DRY, VENTILATED PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN.
Other Precautions: AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDER CLOTHING BEFORE REUSE. DO NOT TAKE INTERNALLY.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE
Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PRO

PER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: TOXIC GAS MAY BE FORMED.

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED.

Ventilation: GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves: PLASTIC, DISPOSABLE RECOMMENDED

Eye Protection: SAFETY GOGGLES IF SPLASHING ANTICIPATED

Other Protective Equipment

: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

=====
Physical/Chemical Properties
=====

HCC: V6

NRC/State LIC No: NOT RELEVANT

B.P. Text: >392F,>200C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: NEGLIGIBLE

Vapor Density: UNKNOWN

Spec Gravity:

1.851

Viscosity: UNKNOWN

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: NONE

Appearance and Odor: CLEAR LIQUID - NO ODOR

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: TEMPERATURES ABOVE 554F/290C

Materials To Avoid: MOLTEN ALKALI METALS, INTERHALOGEN COMPOUNDS, STRONG OR NONAQUEOUS ALKALI AND LEWIS ACIDS ABOVE 100C/21

2F

Hazardous Decomposition Products: HYDROGEN FLUORIDE AND COF2 ARE FORMED.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS

Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 0JRD3
Trans ID NO: 101288
Product ID: CHRISTO-LUBE MCG 1002 OIL
MSDS Prepared Date: 02/02/1994
Review Date: 04/24/1996
MFN: 1
Radioactivity: NOT RELEVANT
Net Unit Weight: 1 LB
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: LB
Container QTY: 0
Type Of Container: PLASTIC BOTTL

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF
TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====

Product ID: CHRISTO-LUBE MCG 1002 OIL

Cage: 0JRD3

Company Name: LUBRICATION TECHNOLOGY INC

Street: 310 MORTON ST

City: JACKSON OH

Zipcode: 45640

Health Emergency Phone: 614-286-26

44

Date Of Label Review: 04/24/1996

Status Code: C

Label Date: 04/24/1996

Year Procured: 1996
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.