View NSN Online: https://aerobasegroup.kr/nsn/7930-01-163-1287

## HYDRITE CHEMICAL CO -- U S CALRITE SPOT GUARD

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_ FSC: 7930 NIIN: 01-163-1287 MSDS Date: 09/01/1994 MSDS Num: BYVWX Product ID: U S CALRITE SPOT GUARD MFN: 02 **Responsible Party** Cage: OTMNG Name: HYDRITE CHEMICAL CO Address: 316 HART STREET City: WATERTOWN WI 53094 Info Phone Number: 800-558-9566 Emergency Phone Number: 800-228-5635 Preparer's Name: D E KENAS Proprietary Ind: Y Published: Y \_\_\_\_\_ Contractor Summary \_\_\_\_\_ Cage: OTMNG Name: HYDRITE CHEMICAL CO Address: 316 HART STREET City: WATERTOWN WI 53094 Phone: 800-228-5635 EXT 075 \_\_\_\_\_ Item Description Information \_\_\_\_\_ \_\_\_\_\_ Item Name: RINSE ADDITIVE, DISHWASHING Ingredients \_\_\_\_\_ Name: \*\*\* PROPRIETARY \*\*\* -----\_\_\_\_\_\_ Health Hazards Data \_\_\_\_\_ LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Route Of Entry Inds - Inhalation: NO Skin: YES

Ingestion: NO Carcinogenicity Inds

- NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE:INGESTION. MAY CAUSE DISCOMFORT, NAUSEA, VOMITING, AND IRRITATION TO MOUTH, ESOPHAGUS, STOMACH, AND TO OTHER TISSUES WITH WHICH CONTACT IS MADE. SKIN:PROLONGED EXPOSURE TO CONCENTRATE MAY CAUSE SLIGHT IRRITATION TO HIGHLY SENSITIVE SKIN. EYES:CONTACT MAY CAUSE TEARING, AND MILD TO SEVERE (EFFECTS OF OVEREXP) Explanation Of Carcinogenicity: NOT RELEVANT. Signs And Symptions Of Overexposure: HLTH HAZ:IRRITATION DEPENDING UPON EXPOSU RE.
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: INHAL:REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE O*2/ARTF RESP) (FP N). INGEST:DO NOT INDUCE VOMIT. IF PATIENT IS CONSCIOUS & amp; CAN SWALLOW, ADMIN MILK/WATER. SKIN:REMOVE CONTAMD CLOTHES, THEN FLOOD W/WAT ER. EYES:FLOOD W/LUKEWARM (NOT HOT) WATER POURED FROM LG GLASS 2-3 INCHES FROM EYES. REMOVE CONT. HAVE PATIENT BLINK AS MUCH AS POSS WHILE FLOODING EYES. CONTINE FOR @ LEAST 15 MINS. ADMIN (SUPDAT) ===
Handling and Disposal
Spill Release Procedures: WEAR PROPER PROT EQUIP INCLDG RUBB BOOTS. STOP LEAK IF YOU CAN DO SO W/OUT RISK. DIKE/DAM LG SPILLS. VENTILATE AREA IF NEEDED. SOAK UP W/SAND OR OTHER NON-COMBUST INERT ABSORB MATLS. FLUSH AREA W/WATE R & FOLLOW W/NORM CLEAN-UP PROC. KEEP (SUPDAT) Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: COMPLY W/ ALL FED, ST, & LOC REGS. CONSULT STATE & LOC AUTH FOR RESTRICTIONS ON DISP OF CHEM WASTE. IF APPRVD, MAY BE DILUTED & DRAINED TO MUNICIPAL SEWER/WASTE TREATMENT PLANT. RINSE EMPTY CNTNR THORO W/WATER BEFORE DISCARDING. PLEASE (SUPDAT)
Handling And Storage Precautions: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST-AID MEASURES. AVOID INGEST & amp; CONTACT WITH EYES. Other Precautions: ROTATE STOCK REGULARLY. HANDLE CAREFULL
Y TO AVOID DAMAGING CONTAINER. KEEP CONTAINER CLOSED WHEN NOT IN USE. RECOMMENDED STORAGE TEMPERATURE BELOW 100F. KEEP OUT OF CHILDREN'S REACH.
Fire and Explosion Hazard Information
Extinguishing Media: FOR FIRES IN AREA, USE APPROPRIATE MEDIA. FOR

EXAMPLE:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR ALCOHOL FOAM. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & amp; FUL L PROTECTIVE EQUIPMENT (FP N). EVACUATE AREA OF UNPROTECTED AND UNNECESSARY PERSONNEL.

\_\_\_\_\_ **Control Measures** Respiratory Protection: NONE REQUIRED WITH NORMAL USE. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). Ventilation: SATISFACTORY. MAINTAIN ADEQUATE VENTILATION. KEEP LEVELS BELOW RECOMMENDED TLV. Protective Gloves: IMPERVIOUS GLOVES (FP N). Eye Prote ction: ANSI APPRVD CHEM WORKERS GOGGLES (FP N). Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: USE GOOD STANDARD INDUSTRIAL HYGIENE PRACTICES. Supplemental Safety and Health: USERS OF "L" VERSION OF SHOULD CONSULT "LR" VERSION FOR ADDNL INFO (FP N). FIRST AID PROC:FIRST AID TREATMENT AS STATED ABOVE, THEN CALL 1-800-228-5635 EXT 075/CONT PHYS FOR FURTHER MED INSTRUCTI ONS. SPILL RELEASE: COMBUST AWAY! BE CAREFUL AS SPILLS ARE SLIPPERY. SPILL RELEASE: RECYCLE EMPTY CNTNR WHENEVER POSS. \_\_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_ Spec Gravity: 1.020 (H\*2O=1) PH: 5 Solubility in Water: COMPLETE Appearance and Odor: SLIGHTLY VISCOUS, CLEAR BLUE SOLUTION \_\_\_\_\_ Reactivity Data \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: AVOID MIXING W/ ANY OTHER CLEANING PROD. MIX ONLY W/WATER. DO NOT STORE AT HIGH TEMP. RECOMMENDED STOR TEMP BELOW 100F. Materials To Avoid: STRONG OXIDIZING AGENTS. AVOID DIRECT CONTACT WITH SODIUM HYPOCHLORITE OR BLEACH AND REDUCING AGENTS. Hazardous Decomposition Products: NONE KNOWN. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT. \_\_\_\_\_ **Toxicological Information** \_\_\_\_\_

===

\_\_\_\_\_\_

#### **Ecological Information**

\_\_\_\_\_

\_\_\_\_\_

### MSDS Transport Information

\_\_\_\_\_

#### Regulatory Information

\_\_\_\_\_

\_\_\_\_\_

#### Other Information

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

#### HAZCOM Label

Product ID: U S CALRITE SPOT GUARD Cage: OTMNG Assigned IND: Y Company Name: HYDRITE CHEMICAL CO Street: 316 HART STREET City: WATERTOWN WI Zipcode: 53094 Health Emergency Phone: 800-228-5635 Label Required IND: Y Date Of Label Review: 07/14/1995 Status Code: C Label Date: 07/14/1995 Origination Code: G Eye Protection IND: YE S Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: ACUTE: INGESTION. MAY CAUSE DISCOMFORT, NAUSEA, VOMITING, AND IRRITATION TO MOUTH, ESOPHAGUS, STOMACH, AND TO OTHER TISSUES WITH WHICH CONTACT IS MADE. SKIN: PROLONGED EXPOSURE TO CONCENTRATE MAY CAUSE SLIGHT IRRITATION TO HIGHLY SENSITIVE SKIN. EYES: CONTACT MAY CAUSE TEARING, AND MILD TO SEVERE IRRIT

# ATION DEPENDING UPON EXPOSURE. CHRONIC:NONE LISTED BY MANUFACTURER.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Departmen

t of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other

government situation.