

DEXTER AEROSPACE MATERIAL DIVI -- EA 956 PART A (AA9112)

MSDS Safety Information

FSC: 8040
NIIN: 00-463-7042
MSDS Date: 01/01/1993
MSDS Num: BYXSW
Product ID: EA 956 PART A (AA9112)
MFN: 06
Kit Part: Y
Responsible Party
Cage: 33564
Name: DEXTER AEROSPACE MATERIAL DIVISION
Address: 2850 WILLOW PASS
ROAD
Box: 312
City: PITTSBURG CA 94565-0031
Info Phone Number: 510-458-8000
Emergency Phone Number: 800-424-9300(CHEMTREC)
Preparer's Name: MSDS DEPT
Proprietary Ind: Y
Review Ind: Y
Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 33564
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Address: 2850 WILLOW PASS ROAD
Box: 312
City: BAY POINT CA 94565-3299

Contractor Summary

Cage: 33564
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Address: 2850 WILLOW PASS ROAD
Box: 312
City: BAY POINT CA 94565-3299
Phone: 202-483-7616
Cage: 03355
Name: RESIN FORMULATORS CO
Address: 8500 STELLER DR
City: CALVER CITY CA 90232
Phone: 213-870-9561

Item Description Information

=====
Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 6
=====

Ingredients
=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data
=====

LD50 LC50 Mixture: MIXTURE HAS NOT BEEN TESTED AS A WHOLE.

Route Of Entr

y Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: BRIEF CONTACT MAY IRRIT SKIN OR CAUSE A RASH. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

Explanation Of Carcinogenicity: NEITHER THIS MATERIAL NOR ANY OF IT'S COMPONENTS IS CONSIDERED A CARCINOGEN.

Signs And Symptions Of Overexposure: SKIN RASH, IRRITATION.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First Aid: EYE:FLUSH W/WATER FOR

15MINS. IF IRRIT PERSISTS GET MED ATTN.

SKIN:WASH THOROUGHLY W/SOAP & WATER. IF IRRIT PERSISTS GET MED ATTN.

INHAL:REMOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST GET MED ATTN. I

NGEST:DRINK PLENTY OF WATER. GET MED ATTN IMMED.

=====
Handling and Disposal
=====

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Waste Disposal Methods: NOT RCRA HAZ WASTE.HOWEVER, INCINERATION IN EPA APPROVED WASTE INCINERATOR IS PREFERRED.CHEM ADDITIONS/ PROCESSING/OTHERWISE ALTERING MATL MAY MAKE WASTE MANAGEMENT INFOR HEREIN INCOMPLETE/INACCURATE/ INAPPROPRIATE.CONSULT STATE/LOC REGULATIONS.

Handling And Storage Precautions: REFRIGERATED STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. THIS PRODUCT MAY BE STORED @ ROOM TEMP (77F) FOR UP TO 12 MONTHS.

Other Precautions: FOLLOW CURING SCHEDULE A

S RECOMMENDED IN PRODUCT

LITERATURE.DON'T CUT/GRIND/WELD/DRILL ON/NEAR CONTAINER.AVOID MIXING PARTS
A&B IN BATCHES >1LB UNLESS PLAN TO USE IMMED.DON'T HEAT MIXED ADHESIVE
>75F UNLESS CURING SURFACES TO BE BONDED.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NOT TESTED

Lower Limits: NOT TESTED

Upper Limits: NOT TESTED

Extinguishing Media: DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY,
FOAM OR FOG.

Fire Fighting Procedures: WEAR SCBA & FULL PROTECTIVE CLOTHING, SUCH AS
TURN-OUT GEAR. CARTRIDGE RESP DO NOT PROVIDE ADEQUATE PROTECTION FOR
FIREFIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE
FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====
Control Measures
=====

=====
Respiratory Protection: UNNECESSARY WITH ADEQUATE EXHAUST VENTILATION.

Ventilation: LOCAL EXHAUST VENTILATION AT THE POINT OF USE.

Protective Gloves: BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES

Eye Protection: SAFETY GLASSES W/SIDE SHIELD;CHEM GOGGLE

Other Protective Equipment: AN EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND
READY FOR USE.

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING MATERIALS.

Supplemental Safety and Health: VISCOSITY:BROOKFIELD, SPDKL 5. FAILURE TO
OB

SERVE PRECAUTIONS IN MIXING/HEATING MAY RESULT IN EXCESSIVE HEAT BUILD-UP
CAUSING AN EXOTHERM. THE EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES.
SEE SAME NSN/CAGE PN/IND: F FOR PART B OF 2-PART KIT.

=====
Physical/Chemical Properties
=====

HCC: N1

B.P. Text: UNDEFINED

Decomp Text: UNTESTED

Vapor Pres: NIL

Vapor Density: >1

Spec Gravity: 1.25

Viscosity: 5000-9000 BRK

Solubility in Wat

er: NEGLIGIBLE.

Appearance and Odor: VISCOUS GRAY PASTE, SLIGHT ODOR

Corrosion Rate: NA

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID MIXING PARTS A&B IN BATCHES >1LB & HEATING MIXTURE >75F.

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products: CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS.

Hazardous Polymerization Indicator: YES

Conditions To Avoid Polymerization: NO INFORMATION PROVIDED BY MFG.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 33564

Trans ID NO: 72747

Product ID: EA 956 PA

RT A (AA9112)

MSDS Prepared Date: 01/01/1993

Review Date: 02/20/1996

MFN: 6

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Container QTY: 6

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information
=====

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI
Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: EA 956 PART A (AA9112)
Cage: 33564
Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Street: 2850 WILLOW PASS ROAD
PO Box: 312
City: BAY POINT CA
Zipcode: 94565-3299
Health Emergency Phone: 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code:
C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: BRIEF CONTACT MAY IRRIT SKIN OR CAUSE A RASH. REPEATED
OR PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.
SK IN RASH,
IRRITATION.
=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever
expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assum

e responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.