

LIQUID AIR CORP,ALPHAGAZ DIVIS -- 10 PPM-1.1% PROPANE IN AIR

=====
MSDS Safety Information
=====

FSC: 6664

NIIN: 01-143-4582

MSDS Date: 01/01/1992

MSDS Num: BYXWT

Product ID: 10 PPM-1.1% PROPANE IN AIR

MFN: 01

Responsible Party

Cage: 1JK08

Name: LIQUID AIR CORP,ALPHAGAZ DIVISION

Address: 2121 N. CALIFORNIA BLVD.

Ci

ty: WALNUT CREEK CA 94596

Info Phone Number: 800-231-1366

Emergency Phone Number: 800-231-1366 800-424-9300(CHEMTREC)

Preparer's Name: UNKNOWN

Review Ind: Y

Published: Y

=====
Contractor Summary
=====

Cage: 05083

Name: BACHARACH INC

Address: 625 ALPHA DRIVE

City: PITTSBURGH PA 15238

Phone: 412-963-2130

Cage: 1JK08

Name: LIQUID AIR CORP,CARDOX CORP DIV

Address: 150 S WARNER RD, SUITE 268

City: KIN

G OF PRUSSIA PA 19406

Phone: 215-975-0880

=====
Item Description Information
=====

Item Manager: S9G

Item Name: GAS CYLINDER,CALIBRATOR,AUTOMATIC GAS

Specification Number: NONE

Type/Grade/Class: NONE

Unit of Issue: EA

UI Container Qty: UNKNOWN

Type of Container: UNKNOWN

=====
Ingredients
=====

Cas

: 74-98-6
RTECS #: TX2275000
Name: PROPANE
% Wt: 1.1
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 1000 PPM
ACGIH TLV: ASPHYXIAN; 9495

Cas: 25635-88-5
Name: AIR, COMPRESSED
% Wt: BALANCE
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 FOR THIS PRODUCT IS NOT ESTABLISHED

R

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: THIS MIXTURE SHOULD BE CONSIDERED SIMILAR TO AIR AND WOULD THEREFORE POSE NO HEALTH HAZARDS.

Explanation Of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Signs And Symptoms Of Overexposure: THIS MIXTURE SHOULD BE CONSIDERED SIMILAR TO AIR AND WOULD THEREFORE HAVE NO SYMPTOMS OF EXPOSURE.

Medical Con

d Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: NO FIRST AID IS EXPECTED TO BE REQUIRED.

=====
Handling and Disposal
=====

Spill Release Procedures: NO SPECIAL REQUIREMENTS.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 125F IN A DRY, WELL-VENTILATED PLACE, AWAY FROM TRAFFIC. KEEP AWAY

FROM HEAT, SPARKS, FLAMES.

Other Precautions: USE A PRESSURE REDUCING VALVE WHEN CONNECTING TO SYSTEM WITH
<500 PSIG. SEGREGATE USED CYLINDERS AND USE ON A FIRST IN-FIRST OUT
SYSTEM. DO NOT REFILL DOT 39 CYLINDERS.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE

Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL

PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard: CONTAINERS MAY BURST AT ELEVATED

TEMPERATURES. THESE MIXTURES AT HIGH PRESSURE WILL ACCELERATE BURNING.

=====
Control Measures
=====

Respiratory Protection: NOT NEEDED IN NORMAL SERVICE.

Ventilation: NOT NEEDED IN NORMAL SERVICE.

Protective Gloves: ANY MATERIAL.

Eye

Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: SAFETY SHOES.

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT. WASH
HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health: NONE

=====
Physical/Chemical Properties
=====

HCC: G3

B.P. Text: -317F, -194C

Decomp Text: UNKNOWN

Vapor Pres: 127 PSIA

Spec Gravity: 1-1.01

Solubility in Water: VERY SLIGHTLY

SOLUBLE

Appearance and Odor: GAS; COLORLESS; ODORLESS.

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: MOISTURE (CAUSES RUSTING).

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 1JK08
Trans ID NO: 110592
Product ID: 10 PPM-1.1% PROPANE IN AIR
MSDS Prepared Date: 01/01/1992
Review Date: 09/16/1996
MFN: 1
Tech Entry NOS Shipping Nm: PROPANE(1.1%) IN AIR.
Net Unit Weight: UNKNOWN
AF MMAC
Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: EA
Container QTY: UNKNOWN
Type Of Container: UNKNOWN
Additional Data: TRANSPORT ONLY CONTAINED IN OPEN FLATBED OR OPEN PICKUP TYPE VEHICLES.

Detail DOT Information

DOT PSN Code: DQQ
Symbols: G
DOT Proper Shipping Name: COMPRESSED GASES, N.O.S.
Hazard Class: 2.2
UN ID Num: UN1956
Label: NONFLAMMABLE GAS
Special Provision:

B13
Non Bulk Pack: 302,305
Bulk Pack: 314,315
Max Qty Pass: 75 KG
Max Qty Cargo: 150 KG
Vessel Stow Req: A

=====
Detail IMO Information
=====

IMO PSN Code: EQH
IMO Proper Shipping Name: COMPRESSED GAS, N.O.S. o
IMDG Page Number: 2124
UN Number: 1956
UN Hazard Class: 2(2.2)
IMO Packaging Group: -
Subsidiary Risk Label: -
EMS Number: 2-04
MED First Aid Guide NUM: 620

=====
=====
Detail IATA Information
=====

IATA PSN Code: HDO
IATA UN ID Num: 1956
IATA Proper Shipping Name: COMPRESSED GAS, N.O.S. *
IATA UN Class: 2.2
IATA Label: NON-FLAMMABLE GAS
Packing Note Passenger: 200
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 200

=====
Detail AFI Information
=====

AFI PSN Code: HDO
A
FI Symbols: *
AFI Proper Shipping Name: COMPRESSED GAS, N.O.S.
AFI Hazard Class: 2.2
AFI UN ID NUM: UN1956
Special Provisions: P5
Back Pack Reference: A6.3, A6.5,A6.6

=====
HAZCOM Label
=====

Product ID: 10 PPM-1.1% PROPANE IN AIR
Cage: 1JK08
Company Name: LIQUID AIR CORP,CARDOX CORP DIV
Street: 150 S WARNER RD, SUITE 268
City: KING OF PRUSSIA PA
Zipcode: 19406
Health Emergency Phone: 800-231-136

6 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 09/16/1996
Status Code: C
MFG Label NO: UNKNOWN
Label Date: 09/16/1996
Origination Code: F
Eye Protection IND: YES
Signal Word: NONE
Health Hazard: None
Contact Hazard: None
Fire Hazard: None
Reactivity Hazard: None

Hazard And Precautions: THIS MIXTURE SHOULD BE CONSIDERED SIMILAR TO AIR AND WOULD THEREFORE POSE NO HEALTH HAZARDS. STORE BELOW 125F IN A DRY,WELL-VENTILATED PLACE,AWAY FROM TRAFFIC.KEEP AWAY FROM HEAT,SPARKS ,FLAMES. FIRST AID: NO FIRST AID IS EXPECTED TO BE REQUIRED.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.