

3M, INDUSTRIAL SPECIALTIES DIV -- FP-301 HEAT SHRINK TUBING-COLORS

=====
MSDS Safety Information
=====

FSC: 5970
NIIN: 01-251-6805
MSDS Date: 05/01/1995
MSDS Num: BYXYB
Product ID: FP-301 HEAT SHRINK TUBING-COLORS
MFN: 01
Responsible Party
Cage: 52152
Name: 3M, INDUSTRIAL SPECIALTIES DIVISION
Address: 3M CENTER
City: ST
PAUL MN 55144-1000
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-733-1110
Preparer's Name: UNKNOWN
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 0G2Y1
Name: CAL_AZ SALES & MARKETING (714-993-9406)
Address: UNKNOWN
Box: UNKNOW
City: UNKNOWN NK 00000
Phone: UNKNOWN
Cage: 52152
Name: MINNESOTA MINING & MFG CO INDUSTRIAL TAPE & SPECIALTIES DIV
Address: 3M C
ENTER
City: ST PAUL MN 55144-1000
Phone: 1-800-364-3577
Cage: 75037
Name: MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV
Address: 3M AUSTIN CTR
City: AUSTIN TX 78769-2963
Phone: 512-984-1800

=====
Item Description Information
=====

Item Manager: S9G
Item Name: INSULATION SLEEVING,ELECTRICAL,SPECIAL PURPOSE
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: EA
UI Container Qty:

1
Type of Container: UNKNOWN

=====
Ingredients
=====

Name: FLAME RETARDANT POLYOLEFIN
% Wt: 100
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
=====

Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL RAT) IS NOT RELEVANT.

Route Of Entry Inds - Inhalati

on: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: TARGET ORGANS:EYE, SKIN, RESPIRATORY & GI TRACTS.

ACUTE- VAPORS FROM HEATED MATERIAL MAY CAUSE EYE IRRITATION. CONTACT WITH HOT MATERIAL BURNS SKIN. VAPORS FROM HEATED MATERIAL CAN IRRITATE RESPIRATOR Y TRACT. INGESTION IS NOT A LIKELY ROUTE OF EXPOSURE. CHRONIC- UNKNOWN.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION, BURNS IF MATERIAL IS HOT.

Medic

al Cond Aggravated By Exposure: NONE

First Aid: CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15

MINUTES. HOLD EYELIDS OPEN. SKIN:IMMEDIATELY FLUSH WITH COLD WATER. TREAT FOR BURNS. INHALED:REMOVE TO FRESH AIR. ORAL:NOT LIKELY.

=====
Handling and Disposal
=====

Spill Release Procedures: NOT RELEVANT

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN A SANITAR

Y LANDFILL IN ACCORDANCE WITH

LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE AT ROOM TEMPERATURE.

Other Precautions: WASH HANDS BEFORE EATING AND AFTER HANDLING. KEEP OUT OF REACH OF SMALL CHILDREN.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE

Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures: WEAR FULL

PROTECTIVE CLOTHING, INCLUDING HELMET AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE
OPERATED IN POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: UNKNOWN

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF FUME PRESENT, WEAR
NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR WITH DUST/MIST PREFILTER.

Ventilation: ADEQUATE

Protective Gloves:

NOMEX WHEN HANDLING HOT MATERIALS

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: EYE WASH FOUNTAIN, WASHING FACILITY

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

=====
Physical/Chemical Properties
=====

HCC: N1

NRC/State LIC No: NOT RELEVANT

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Spec Gravity: 1.3

Viscosity: NOT RELEVANT

Evapor

ation Rate & Reference: NOT RELEVANT

Solubility in Water: INSOLUBLE

Appearance and Odor: TUBING, VARIOUS SIZES AND COLORS

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEAT

Materials To Avoid: UNKNOWN

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF
ANTIMONY, ALDEHYDES, HYDROGEN BROMIDE, TOXIC VAPORS, GASES OR PARTIC
ULATES

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 52152
Trans ID NO: 118399
Product ID: FP-301 HEAT SHRINK TU
BING-COLORS
MSDS Prepared Date: 05/01/1995
Review Date: 05/15/1996
MFN: 1
Radioactivity: NOT RELEVANT
Net Unit Weight: UNKNOWN
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: EA
Container QTY: 1
Type Of Container: UNKNOWN

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

=====
AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====

Product ID: FP-301 HEAT SHRINK TUBING-COLORS

Cage: 52152

Company Name: MINNESOTA MINING & MFG CO INDUSTRIAL TAPE & SPECIALTIES
DIV

Street: 3M CENTER

City: ST PAUL MN

Zipcode: 55144-1000

Health Emergency Phone: 612-733-1110

Label Requi

red IND: Y

Date Of Label Review: 05/15/1996

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 05/15/1996

Year Procured: 1996

Origination Code: F

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYE, SKIN, RESPIRATORY & GI TRACTS.

ACUTE- VAPORS FROM HEATED MATERIAL MAY CAUSE EYE IRRITATION. CONTACT WITH HOT MATERIAL BURNS SKIN. VAPORS FROM HEATED MATERIAL CAN IRRITATE RESPIRATOR Y TRACT. INGE

STION IS NOT A LIKELY ROUTE OF EXPOSURE. CHRONIC- UNKNOWN. STORE AT ROOM TEMPERATURE. SPILL: NOT RELEVANT. FIRST AID- CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUT ES. HOLD EYELIDS OPEN. SKIN:IMMEDIATELY FLUSH WITH COLD WATER. TREAT FOR BURNS.INHALED:REMOVE TO FRESH AIR. ORAL:NOT LIKELY.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the Uni

ted States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.