

MAINTEX INC. -- HARD COTE (ACRYLIC-POLYETHYLENE FLOOR FINISH) -- 7930-01-398-0876

===== Product Identification =====

Product ID:HARD COTE (ACRYLIC-POLYETHYLENE FLOOR FINISH)

MSDS Date:06/15/1990

FSC:7930

NIIN:01-398-0876

MSDS Number: BYZCM

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Em

ergency Phone Num:800-255-3924 (CHEMTEL)

Preparer's Name:ATA DANESHRAD

CAGE:NO277

=== Contractor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0PWJ2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

===== Composition/Information on Ingredients =====

Ingred Name:GLYCOL ETHER DE (LD50, ACUTE ORAL=15 MIN. CALL

DR. SKIN: WASH
W/SOAP/H2O. IMMEDIATELY REMOVE CONTAMINATED CLOTHES, WASH BEFORE REUSE. INHAL:
IF DISCOMFORT GET FRESH AIR. IF BREATH DIFFICULT, GET O2, CALL DR.
IF BREATH STOPS, GIVE ARTIFICIAL RESPIRATION, GET MEDICAL AID IMMEDIATELY. INGEST: GET
LOTS OF H2O/MILK. INDUCE VOMITING IF CONSCIOUS. WASH MOUTH. PRODUCT MAY
FILM IF DRY. DON'T GIVE BICARBONATE SODA, FRUIT JUICE, VINEGAR.
CALL DR.*

===== Fire Fighting Measures =====

Flash Point:>194F,>90C
Extinguishing Media:WATER
SPRAY, FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:EVACUATE NONESSENTIAL PERSONNEL. FIREFIGHTERS
SHOULD WEAR POSITIVE PRESSURE SCBA WITH FULL FACEPIECE.
Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL & LOWER
PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY, & TO
FLUSH/DILUTE SPILLED MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:SM: MOP/RINSE AREA. PUT LIQUID IN NONLEAKING
CONTAINERS FOR PROPER DISPOSAL. LG,>5
5GL: EVACUATE. WEAR RUBBER BOOTS.
SHUT LEAK SOURCE IF SAFE. DIKE/CONTAIN WITH INERT MATERIAL. TRANSFER TO
CONTAINERS FOR RECOVERY/DISPOSAL (LIQUID/SOLID SEPARATE). RINSE/MOP.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM KIDS/EYES/SKIN/CLOTHES.
DON'T TAKE INTERNALLY KEEP CONTAINER CLOSED, CAPS/SPOUTS/BUNGS IN
PLACE. MISUSE OF EMPTY CONTAINERS CAN BE HAZARDOUS.
Other Precautions:STORE IN COOL DRY AREA AWAY FROM OTHER CHEMICALS.
KEEP
PRODUCT FROM FREEZING-IT WILL COAGULATE & NOT BE USEABLE. ALL
HAZARD PRECAUTIONS GIVEN IN DATA SHEET MUST BE OBSERVED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR WHERE EXPOSURE
LIMITS EXCEEDED.
Ventilation:MECHANICAL LOCAL EXHAUST AT POINT OF CONTAMINANT RELEASE.
Protective Gloves:RUBBER - DECREASES SKIN DRYNESS/COATING.
Eye Protection:CHEMICAL SPLASH GLASSES.
Other Protective Equipment:REASONABLE PERSONAL

CLEANLINESS, WASH
EXPOSED SKIN A FEW TIMES DAILY/BEFORE MEALS.WASH/DRY CLEAN SOILED
CLOTHES DAILY
Work Hygienic Practices:WASH HANDS BEFORE EATING, DRINKING, SMOKING OR
USING TOILET.
Supplemental Safety and Health
**& CONTAMINATED DIKING MATERIAL AT PERMITTED FACILITY IN ACCORDANCE
W/FEDERAL, STATE, LOCAL REGULATIONS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C
Melt/Freeze Pt:M.P/F.P Text:35.0F,1.7C
Vapor Pres:1
Spec Gr
avity:1.02
pH:8.5
Evaporation Rate & Reference: