

MAINTEX INC. -- HARD COTE (ACRYLIC-POLYETHYLENE FLOOR FINISH) -- 7930-01-398-0876

=====
Product Identification
=====

Product ID:HARD COTE (ACRYLIC-POLYETHYLENE FLOOR FINISH)

MSDS Date:06/15/1990

FSC:7930

NIIN:01-398-0876

MSDS Number: BYZCM

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Em

ergency Phone Num:800-255-3924 (CHEMTEL)

Preparer's Name:ATA DANESHRAD

CAGE:NO277

=== Contractor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0PWJ2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

=====
Composition/Information on Ingredients
=====

Ingred Name:GLYCOL ETHER DE (LD50, ACUTE ORAL=15 MIN. CALL

DR. SKIN: WASH

W/SOAP/H2O. IMMEDIATELY REMOVE CONTAMINATED CLOTHES, WASH BEFORE REUSE. INHALATION: IF DISCOMFORT GET FRESH AIR. IF BREATH DIFFICULT, GET O2, CALL DR. IF BREATH STOPS, GIVE ARTIFICIAL RESPIRATION, GET MEDICAL AID IMMEDIATELY. INGESTION: GET LOTS OF WATER/MILK. INDUCE VOMITING IF CONSCIOUS. WASH MOUTH. PRODUCT MAY FORM FILM IF DRY. DON'T GIVE BICARBONATE SODA, FRUIT JUICE, VINEGAR. CALL DR.*

=====
Fire Fighting Measures
=====

Flash Point:>194F,>90C

Extinguishing Media:WATER

SPRAY, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:EVACUATE NONESSENTIAL PERSONNEL. FIREFIGHTERS SHOULD WEAR POSITIVE PRESSURE SCBA WITH FULL FACEPIECE.

Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL & LOWER PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY, & TO FLUSH/DILUTE SPILLED MATERIAL.

=====
Accidental Release Measures
=====

Spill Release Procedures:SM: MOP/RINSE AREA. PUT LIQUID IN NONLEAKING CONTAINERS FOR PROPER DISPOSAL. LEAKS >5

5GAL: EVACUATE. WEAR RUBBER BOOTS.

SHUT LEAK SOURCE IF SAFE. DIKE/CONTAIN WITH INERT MATERIAL. TRANSFER TO CONTAINERS FOR RECOVERY/DISPOSAL (LIQUID/SOLID SEPARATE). RINSE/MOP.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM KIDS/EYES/SKIN/CLOTHES. DON'T TAKE INTERNALLY KEEP CONTAINER CLOSED, CAPS/SPOUTS/BUNGS IN PLACE. MISUSE OF EMPTY CONTAINERS CAN BE HAZARDOUS.

Other Precautions:STORE IN COOL DRY AREA AWAY FROM OTHER CHEMICALS. KEEP

PRODUCT FROM FREEZING-IT WILL COAGULATE & NOT BE USEABLE. ALL HAZARD PRECAUTIONS GIVEN IN DATA SHEET MUST BE OBSERVED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR WHERE EXPOSURE LIMITS EXCEEDED.

Ventilation:MECHANICAL LOCAL EXHAUST AT POINT OF CONTAMINANT RELEASE.

Protective Gloves:RUBBER - DECREASES SKIN DRYNESS/COATING.

Eye Protection:CHEMICAL SPLASH GLASSES.

Other Protective Equipment:REASONABLE PERSONAL

CLEANLINESS, WASH

EXPOSED SKIN A FEW TIMES DAILY/BEFORE MEALS.WASH/DRY CLEAN SOILED CLOTHES DAILY

Work Hygienic Practices:WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USING TOILET.

Supplemental Safety and Health

**& CONTAMINATED DIKING MATERIAL AT PERMITTED FACILITY IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:35.0F,1.7C

Vapor Pres:1

Spec Gr

avity:1.02

pH:8.5

Evaporation Rate & Reference: