

AMSCO INTERNATIONAL -- 400009-319 SONIC DETERGENT -- 6530-01-339-6927

=====  
Product Identification  
=====

Product ID:400009-319 SONIC DETERGENT

MSDS Date:09/01/1993

FSC:6530

NIIN:01-339-6927

MSDS Number: BZGBX

=== Responsible Party ===

Company Name:AMSCO INTERNATIONAL

Address:1002 LUFKIN RD

City:APEX

State:NC

ZIP:24502-5000

Country:US

Info Phone Num:919-362-0842/814-870-8276

Emergency Phone Num:919

-362-0842/814-870-8276

Preparer's Name:LORI HALLER

CAGE:GO471

=== Contractor Identification ===

Company Name:AMSCO INTERNATIONAL

Address:1002 LUFKIN RD

City:APEX

State:NC

ZIP:24502-5000

Country:US

Phone:919-362-0842

CAGE:GO471

Company Name:AMSCO SCIENTIFIC

Address:1002 LUFKIN RD

Box:City:APEX

State:NC

ZIP:27902

Country:US

Phone:919-362-0842

CAGE:0T1E8

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:TETRASODIUM

SALT OF ETHYLENEDIAMINETETRAACETIC ACID, SODIUM  
EDTA, SODIUM (DI) ETHYLENEDIAMINE TETRAACETATE \*95-4\*  
CAS:64-02-8  
RTECS #:AH5075000

Ingred Name:SODIUM POLYACRYLATE  
CAS:68479-09-4

Ingred Name:PROPRIETARY BLEND TSRN 08613600-5035P

Ingred Name:PROPRIETARY BLEND TSRN 08613600-5037P

Ingred Name:SILICATE BINDERS (SODIUM SILICATE) \*95-4\*  
CAS:1344-09-8  
ACGIH TLV:10 MG/CUM

Ingred Name:POTASSIUM SILICATE, POTASSIUM METASILICATE \*96-1\*  
CAS:1312-76-1

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION. SKIN:  
IRRITATION UPON REPEATED CONTACT. INHALATION: IRRITATION.  
INGESTION: HARMFUL.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES/SKIN: FLUSH W/PLENTY OF WATER FOR 15 MINS. INHALATION:  
REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. INGESTION: DON'T  
INDUCE VOMITING. GIVE MILK/WATER TO DILUTE MATERIAL. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:WATER, CO2/FOAM  
Fire Fighting Procedures:WEAR POSITIVE-PRESSURE SCBA.  
Unusual Fire/Explosion Hazard:WILL NOT BURN BUT MAY SPLATTER IF TEMP  
EXCEEDS 212F.

=====  
Accidental Release Measures  
=====

=====

Spill Release Procedures:CONTAIN & SOAK UP W/INERT ABSORBENT & SCOOP INTO A COVERED CONTAINER FOR DISPOSAL.

===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL LOCAL EXHAUST VENTILATION  
Protective Gloves:RUBBER/NEOPRENE  
Eye Protection:CHEMICAL GOGGLES  
Supplemental Safety and Health  
PRODUCT IS USED W/SONIC ENERGY SYSTEM.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F  
Vapor Pres:17  
Vapor Density:0.62

Spec Gravity:1.14  
pH:12  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR LIGHT YELLOW LIQUID W/BLAND ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS, STRONG OXIDIZING AGENTS, REDUCING AGENTS & CHLORINE.  
Hazardous Decomposition Products:FIRE: CO, CO2 & NITROUS OXIDES.  
CONTACT W/METALS: HYDROGEN GAS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information.

mation to their  
particular situation.