

BEACON CHEMICAL CO INC -- MAGNATAC M611 -- 8040-00-691-1322

===== Product Identification =====

Product ID:MAGNATAC M611

MSDS Date:08/30/1988

FSC:8040

NIIN:00-691-1322

Kit Part:Y

MSDS Number: BZLHF

=== Responsible Party ===

Company Name:BEACON CHEMICAL CO INC

Address:125 MACQUESTEN PARKWAY SOUTH

City:MOUNT VERNON

State:NY

ZIP:10550

Country:US

Info Phone Num:914-699-3400

CAGE:5B981

=== Contractor I

dentification ===

Company Name:BEACON CHEMICAL COMPANY, INC.

Address:125 MACQUESTEN PARKWAY

Box:City:MOUNT VERNON

State:NY

ZIP:10550

Country:US

Phone:914-699-3400

CAGE:5B981

===== Composition/Information on Ingredients =====

Ingred Name:3-DIETHYLAMINOPROPYLAMINE (SARA 313)

CAS:104-78-9

RTECS #:TX7350000

Fraction by Wt: >99%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT=1410MG/KG;DERML

RABBIT=750

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYE CONTACT RESULTS IN STRONG IRRITATION & BURNS. PERMANENT EYE DAMAGE MAY RESULT. INGESTION MAY RESULT ;IN SEVERE GASTRIC DISTURBANCES, INCLUDING NAUSEA & VOMITING. INHALATION OF VAPORS/MISTS MA Y RESULT IN RESPIRATORY IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES: IMMED

WASH W/RUNNING WATER 15 MIN. GET IMMEDIATE MED

AID. SKIN: WASH W/WATER WHILE REMOVING CONTAM CLOTHES. GET IMMED MED AID. LAUNDRER CONTAM CLOTHES BEFORE REUSE. INGESTION: DON'T INDUCE VOMITI NG. DILUTE Q/WATER OR MILK & CALL DR. IMMEDIATELY. NEVER GIVE FLUIDS OR INDUCE VOMITING IF VICTEM UNCONSCIOUS/HAVING CONVULSIONS. INHAL: GET FRESH AIR. AID IN BREATHING IF NECESSARY, GET IMMED MED AID

=====  
Fire Fighting Measures  
=====

Flash Point:124

F,51C

Autoignition Temp:Autoignition Temp Text:215C

Lower Limits:1.4

Upper Limits:11

Extinguishing Media:FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SCBA & TURN OUT GEAR.

Unusual Fire/Explosion Hazard:MODERATE, WHEN EXPOSED TO HEAT OR FLAMES. CAN REACT W/OXIDIZING MATERIALS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SPILL SHOULD BE CONTAINED, SOLIDIFIED, PLACED IN SUITABLE CNTNRS FOR DISPOSAL IN RCRA LICE NSED FACILITY. MAT'L IS RCRA HAZARDOUS DUE TO PROPERTIES.

=====  
Handling and Storage  
=====

Other Precautions:EMPTY CNTNRS W/