

LUBRICATION TECHNOLOGY INC -- MCG 106 CRISTO-LUBE

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 01-324-4677  
MSDS Date: 02/02/1994  
MSDS Num: BZLNF  
Product ID: MCG 106 CRISTO-LUBE  
MFN: 01  
Responsible Party  
Cage: 0JRD3  
Name: LUBRICATION TECHNOLOGY INC  
Address: 310 MORTON ST  
City: JACKSON OH 45640  
Info  
Phone Number: 614-286-2644  
Emergency Phone Number: 614-286-2644  
=====

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: GREASE,AIRCRAFT AND INSTRUMENT  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: TU  
Quantitative Expression: 00000000002OZ  
UI Container Qty: 1  
Type of Container: TUBE  
=====

=====  
Ingredients  
=====

Name: NON-HAZARDOUS INGREDIENTS  
% Wt: 100  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED  
=====

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) > 40000 MG/KG  
Route Of Entry Inds - Inhalation: NO  
Skin: NO  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: ACUTE: NONE.

CHRONIC: NONE. MILD IRRITANT TO THE SKIN UPON PROLONGED EXPOSURE FOR SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES MAY CAUSE "POLYMER FEVER".

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptoms Of Overexposure: SKIN-IRRITATION.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: SKIN-WASH WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINTES.

INGESTED-NONE NOTED. INHALED-REMOVE TO FRESH AIR.

=====  
Handling and Disposal  
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY PLACE AWAY FROM FLAMMABLE AND EXPLOSIVE MATERIALS.

Other Precautions: DO NOT CONTAMINATE SMOKING MATERIAL. TOXIC VAPORS MAY EVOLVE ABOVE 290C (554F); PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS TEMPERATURE.

=====  
Fire and Explosion Hazard Information  
=====

Extinguishing Media: NONE SPECIFIED BY MANUFACTURER. DLA-: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: DECOMPOSITION AT TEMPERATURES ABOVE 290C MAY CAUSE THE EVOLUTION OF TOXIC GASEOUS FLUORINE COMPOUNDS.

=====  
Control Measures  
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: PLASTIC DISPOSABLE

LE RECOMMENDED.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment: PLASTIC OR FABRIC APRON OR LABORATORY COAT RECOMMENDED.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: MSDS PRESENTED BY CAGE 0PGK2 FOR CONTRACT NUMBER SP0451-96-QU792 AND/OR SP0451-96-MQ019.

=====  
Physical/Chemical Properties  
=====

HCC: V6

B.P. Text: UNKNOWN

Melt/Freeze Pt: >200.C, 392.F

Decomp Temp: >290.C, 554.F

Vapor Pres: 10 NEG 4

Vapor Density: UNKNOWN

Spec Gravity: 1.990

Viscosity: UNKNOWN

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: INSOLUBLE

Appearance and Odor: WHITE, ODORLESS.

Corrosion Rate: UNKNOWN  
=====

Reactivity Data  
=====

Stability In

dicator: YES

Stability Condition To Avoid: AVOID HEATING ABOVE 290C (554F).

Materials To Avoid: STRONG OR HOT AQUEOUS ALKALI AND LEWIS ACIDS ABOVE 100C (212F).

Hazardous Decomposition Products: TOXIC HYDROGEN FLUORIDE AND CARBON DIOXIDE FROM THERMAL DECOMPOSITION IN AIR.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: AVOID HEATING ABOVE 290C (554F).  
=====

Toxicological Information  
=====

Ecological Information  
=====

MSDS Transport Information  
=====

Regulatory Information  
=====

Other Inf

ormation

=====  
=====  
Transportation Information  
=====

Responsible Party Cage: 0JRD3  
Trans ID NO: 125469  
Product ID: MCG 106 CRISTO-LUBE  
MSDS Prepared Date: 02/02/1994  
Review Date: 06/11/1996  
MFN: 1  
Net Unit Weight: 2 OUNCES  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: TU  
Container QTY: 1  
Type Of Container: TUBE  
=====

=====  
=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
=====  
Detail IATA Informati  
on  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
=====  
HAZCOM Label  
=====

=

Product ID: MCG 106 CRISTO-LUBE  
Cage: 0JRD3  
Company Name: LUBRICATION TECHNOLOGY INC  
Street: 310 MORTON ST  
City: JACKSON OH  
Zipcode: 45640  
Health Emergency Phone: 504-366-9105  
Label Required IND: Y  
Date Of Label Review: 06/11/1996  
Status Code: C  
Label Date: 06/11/1996  
Year Procured: 1996  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Health Hazard: None  
Contact Hazard: Slight  
Fire Hazard: None  
Reactivity Hazard: None  
Hazard And Precautions: MILD IRRIT

ANT TO THE SKIN UPON PROLONGED EXPOSURE FOR  
SOME INDIVIDUALS. DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES MAY  
CAUSE "POLYMER FEVER". TARGET ORGANS: SKIN. IN CASE OF SPILL: USE ABSORBE NT  
MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL. FIRST AID: SKIN-WASH  
WITH SOAP & WATER. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINTES.  
INHALED-REMOVE TO FRESH AIR.

=====  
Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instructi  
on who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.