

EASTMAN KODAK COMPANY -- 832 0228 FLEXICOLOR STABILIZER AND REPLENISHER LF,
CONCEN -- 6750-01-428-0269

===== Product Identification =====

Product ID:832 0228 FLEXICOLOR STABILIZER AND REPLENISHER LF, CONCEN

MSDS Date:07/19/1995

FSC:6750

NIIN:01-428-0269

MSDS Number: BZNNP

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country

:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 70-75%

Other REC Limits:NONE RECOMMENDED

Ingred Name:

HEXAMINE; (HEXAMETHYLENETETRAMINE)

CAS:100-97-0

RTECS #:MN4725000

Fraction by Wt: 25-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM DODECYLBENZENE SULFONATE (CERCLA)

CAS:25155-30-0

RTECS #:DB6825000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:DIPROPYLENE GLYCOL

CAS:110-98-5

RTECS #:UB8785000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SURFACTANT; NON-IONIC

Fraction by Wt: 1-5%

Other REC Limits:NO

NE RECOMMENDED

Ingred Name:1,2-BENZISOTHIAZOL-3(2H)-ONE; (SUBSTITUTED
THIAZOLIN-3-ONE).

CAS:2634-33-5

RTECS #:DE4620000

Fraction by Wt: 212F,>100C

Vapor Pres:18 @20C

Vapor Density:0.6

Spec Gravity:1.06

pH:7.7

Solubility in Water:COMPLETE

Appearance and Odor:LIQUID, AMBER COLOR, SLIGHT AMINE ODOR.

Percent Volatiles by Volume:70-75

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ACIDS.

Stability C

Condition to Avoid: STABLE HOWEVER, MATL CAN DECOMPOSE >295C (563F). AVOID TEMPERATURES >195C(383F).

Hazardous Decomposition Products: AMMONIA, FORMALDEHYDE. HAZ COMBUST PROD: CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN, OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. CHEM SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III SARA/40CFR 372: NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.