

ACCRABOND INC. -- PETTMAN CEMENT, JAN-C99 AMD.#1, TYPE A -- 8030-00-245-7032

===== Product Identification =====

Product ID:PETTMAN CEMENT, JAN-C99 AMD.#1, TYPE A

MSDS Date:03/21/1991

FSC:8030

NIIN:00-245-7032

MSDS Number: BZNQZ

=== Responsible Party ===

Company Name:ACCRABOND INC.

Address:8848 HACKS CROSS ROAD

City:OLIVE BRANCH

State:MS

ZIP:38654-3827

Country:US

Info Phone Num:601-895-4480

Emerge

ncy Phone Num:601-895-4480

CAGE:5V071

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

Company Name:RALRUBE INC.

Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI

ZIP:48331

Country:US

Phone:248-661-0260, FAX 248-661-3941

CAGE:6X798

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300

000

Fraction by Wt: 20%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9596

Ingred Name:SHELLAC

Fraction by Wt: N/E

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: N/E

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:PINE TAR

CAS:8011-48-1

RTECS #:WW7530000

Fraction by Wt: N/E

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:OVEREXPOSURE TO VAPORS MAY CAUSE  
GENERAL SYMPTOMS OF NARCOSIS.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:DIZZINESS, NAUSEA.  
Medical Cond Aggravated by Exposure:NONE REPORTED.

=====  
===== First Aid Measures =====  
=====

First Aid:EYES-FLUSH WITH WATER AND CALL A PHYSICIAN, MAY C  
AUSE MILD  
EYE IRRITATION. SKIN-UNLIKELY TO CAUSE A PROBLEM. INHALATION-REMOVE  
TO FRESH AIR, INHALATION OF VAPORS WILL CAUSE NARCOTIC EFFECTS.  
INGESTION -UNLIKELY TO CAUSE A PROBLEM.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:TCC  
Flash Point:42.0F,5.6C  
Lower Limits:1.3  
Upper Limits:12.7  
Extinguishing Media:WATER, CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE  
WORN.  
Unusual Fir

e/Explosion Hazard:VAPORS MAY BUILD UP AND BE IGNITED  
CAUSING FLASH FIRES.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE MATERIAL, ELIMINATE SOURCES OF IGNITION.  
WIPE UP AND DISPOSE, REMOVE RESIDUE WITH ALCOHOL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM  
POSSIBLE SOURCES OF IGNITION.  
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR IF USED IN CONFINED  
SPACES.  
Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL (GENERAL) EXHAUST  
ADEQUATE.  
Protective Gloves:RUBBER.  
Eye Protection:SPLASH GOGGLES.  
Other Protective Equipment:EYE WASH STATION.  
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:171F,77C  
Vapor Pres:69  
Vapor Density:2.5  
Spec Gravity:1.68  
Solubility in Water:NONE  
Appearance and Odor:WATER WHITE LIQUID / ALCOHOL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND  
OTHERS POSSIBLE.

===== Disposal Considerati

ons =====

Waste Disposal Methods:IN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibi  
lity for the suitability of this information to their  
particular situation.