View NSN Online: https://aerobasegroup.kr/nsn/6750-01-360-6370

EASTMAN KODAK COMPANY -- 841 4393 FLEXICOLOR DEVELOPER REPLENISHER LORR, PART A -- 6750-01-360-6370

Product ID:841 4393 FLEXICOLOR DEVELOPER REPLENISHER LORR, PART A MSDS Date:01/04/1996 FSC:6750 NIIN:01-360-6370 MSDS Number: BZNWG === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US In fo Phone Num:716-722-5151 Emergency Phone Num:716-722-5151 Preparer's Name:NONE CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

====== Compositio

n/Information on Ingredients =========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 55 - 60% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 30 - 35% Other REC Limits:NONE RECOMMENDED

Ingred Name:PENTETIC ACID, PENTA SODIUM SALT CAS:140-01-2 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SULFITE CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 1 - 5% Other REC Limits:NON E RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM BROMIDE CAS:7647-15-6 RTECS #:VZ3150000 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chro nic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLIN. CAUSES EYE IRRITATION. CAUSES SKIN IRRITATION. EXPECTED TO BE A LOW INGESTION HAZARD. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH LARGE AMOOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN AREA WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INHALATION: IF SYMPTOM ATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. INGESTION: DRINK 1-2 GLASSES OF WATER. GET MEDICAL ATTENTION.

Flash Point:NONE
Lower Limits:NOT GIVEN
Upper Limi
ts:NOT GIVEN
Extinguishing Media:NONCOMBUSTIBLE LIQUID. USE APPROPRIATE AGENT FOR ADJACENT FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures: FLUSH SPILL TO SEWER WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

================== Handling and Storag

Handling and Storage Precautions: KEEP CONTAINER CLOSED AND AWAY FROM INCOMPATIBLE SUBSTANCES. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

Other Precautions: USE WITH ADEQUATE VENTILATION. THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACES, GLOVES, ETC. WILL HELP MINIMIZE THE POSSIBILITY OF A SKIN REACTION.

====== Exposure Controls/Personal Protection ======

======

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation: GOOD GENERAL VENTILATION (10 AIR CHANGES/HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:WEAR IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:WEAR PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE. EYE WASH STATION, SAFETY SHOWER, WASHING

FACILITIES.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health KEY1:C4, THIS ENTRY IS FOR PART A OF A THREE PART KIT. KIT MAKES 25

GALLONS OF WORKING SOLUTION.

HCC:B3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 Vapor Density:O.6 Spec Gravity:1.413 pH:11.7 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, NO ODOR Percent Volatiles by Volume:55-60

Stability Indicator/Materials to Avoid:YES
NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods: DISCHARGE, TREATMENT, OR DISPOSA

L MAY BE SUBJECT

TO NATIONAL, STATE, OR LOCAL LAWS. IF PERMITTED, FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profes sional advice to verify and assume responsibility for the suitability of this information to their particular situation.