

CAAP COMPANY INC. (REPLACING 60922) -- CAAPCOAT POLYURETHANE CURING AGENT --  
8010-00-459-1756

===== Product Identification =====

Product ID:CAAPCOAT POLYURETHANE CURING AGENT

MSDS Date:01/01/1994

FSC:8010

NIIN:00-459-1756

Kit Part:Y

MSDS Number: BZPGQ

=== Responsible Party ===

Company Name:CAAP COMPANY INC. (REPLACING 60922)

Address:152 PEPES FARM ROAD

City:MILFORD

State:CT

ZIP:06460

Country:US

I

Info Phone Num:203-877-0375/202-483-7616(COLLECT)

Emergency Phone Num:203-877-0375/800-424-9300(CHEMTREC)

CAGE:LO401

=== Contractor Identification ===

Company Name:CAAP CO INC

Address:152 PEPE'S FARM RD

Box:City:MILFORD

State:CT

ZIP:06460

Country:US

Phone:203-877-0375

CAGE:60922

Company Name:CAAP CO INC

Address:152 PEPES FARM ROAD

Box:City:MILFORD

State:CT

ZIP:06460

Phone:(203) 877-0375

CAGE:6P753

Company Name:CAAP COMPANY INC. (REPLACING 60922)

Address:152 PEPES FARM ROAD

City:MILFORD

State:CT

Z

IP:06460  
Country:US  
Phone:203-877-0375/202-483-7616(COLLECT)  
CAGE:LO401

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE) (SARA 313) (CERCLA)  
CAS:108-10-1  
RTECS #:SA9275000  
Fraction by Wt: 35%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:50 PPM/75 STEL; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ALIPHATIC AMINE  
Fraction by Wt: 65%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Id  
entification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, LIVER,  
KIDNEY. ACUTE- MAY CAUSE EYE DAMAGE. INHALATION MAY CAUSE  
IRRITATION. MAY CAUSE SKIN IRRITATION & BURNS. MAY BE HARMFUL IF  
INGESTED. ASPIRATION HAZARD. CHRONIC- MAY CAUSE DERMATITIS,  
POSSIBLY SENSITIZATION, LIVER & KIDNEY DAMAGE,  
NEURAL IMPAIRMENT.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, NAUSEA,  
VOMITING, DIARRHEA, LOSS OF COORDINATION, ABDOMINAL PAIN, WEAKNESS,  
CONFUSION, BREATHING DIFFICULTY, EYE DAMAGE, SKIN BURNS  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS, EYE PROBLEMS OR IMPAIRED LIVER, KIDNEY, CNS OR  
RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS  
PRODUCT.

=====  
Firs  
=====

First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH WITH WATER. SEEK IMMEDIATE MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF VOMITUS INTO LUNGS.

===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:=-23.3C, 74.F

===== 74 =====

Lower Limits:1.2  
Upper Limits:8.0

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. DON'T USE DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE OR BE MOVED BY VENTILATION TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINER MAY EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH OR VERMICULITE. GROUND ALL HANDLING EQUIPMENT  
S. PREVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL PLACE, OUT OF HOT SUN, BELOW 90F, AWAY FROM SOURCES OF IGNITION & INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL OR EXPOSE SUCH CONTAINERS TO HEAT

, FLAME, SPARKS. DO NOT RE-USE CONTAINER. AVOID BREATHING VAPO RS OR MISTS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR OR SELF CONTAINED BREATHING APPARATUS, WITH A FULL FACE PIECE, OPERATED IN POSITIVE PR ESSURE MODE.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EX POSURE BELOW TLV(S).

Protective Gloves:COTTON LINED NEOPRENE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, INDUSTRIAL-TYPE WORK CLOTHING TO PROTECT SKIN

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

KEY1:F3. PACKAGE CONTAINS: 1 GALLON BASE COMPONENT, REQUIRED AMOUNTS OF CURING AGENTS, REQU IRED AMOUNT OF PRIMER, PARTS A AND B, AND ACTIVATOR. FOR OTHER PARTS, SEE UNDER CAGE 60922.

=====  
===== Physical/Chemical Properties =====

HCC:F2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:=116.1C, 241.F

Vapor Pres:15

Vapor Density:3.5

Spec Gravity:0.83

Evaporation Rate & Reference:1.6 (N-BUTYL ACETATE=1)

Solubility in Water:SLIGHT

Appearance and Odor:CLEAR YELLOW LIQUID WITH PUNGENT ODOR

=====  
===== Stability and Reactivity Data =====

Stabili

ty Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS, STRONG ACIDS

Stability Condition to Avoid: HIGH HEAT (ABOVE 100F/38C), SPARKS, OPEN  
FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,  
NITROGEN OXIDES AND AMMONIA MAY BE RELEASED.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE  
FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. INCINERATE  
IN  
APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for t  
he suitability of this information to their  
particular situation.