

CANON INC. -- 852 8945;KODAK MONOCOMPONENT 30 TONER;KAN 966201 -- 6850-01-423-1617  
===== Product Identification =====

Product ID:852 8945;KODAK MONOCOMPONENT 30 TONER;KAN 966201

MSDS Date:12/14/1994

FSC:6850

NIIN:01-423-1617

MSDS Number: BZPPD

=== Responsible Party ===

Company Name:CANON INC.

Address:30-2 SHIMOMARUKO

City:3-CHOME,OHTO-KU, TOKYO, JAPAN

Country:JA

Info Phone Num:800-242-2424 (FOR MS

DS,ASK FOR X25)

Emergency Phone Num:716-722-5151

CAGE:S5612

=== Contractor Identification ===

Company Name:CANON INC

Address:30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

Box:City:TOKYO

Country:JA

Phone:03-3758-2111/ 516-328-5600(USA)

CAGE:EO274

Company Name:CANON INC

Address:7-1NISHI-SHINJUKU 2-CHOMESHINJUKU-K

Box:5050

City:TOKYO

Country:JP

CAGE:S5612

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800

) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE ACRYL COPOLYMER, NEW JERSEY TRADE SECRET REG #  
80100185-5056P

Fraction by Wt: 45-55%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1317-61-9

OSHA PEL:10 MG/M3

ACGIH TLV:5 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR IRON OXIDE IS 5 MG/M3 TWA

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL:EXPECTED TO BE A LOW HAZARD FOR  
RECOMMENDED HANDLING.EYES:MAY CAUSE TRANSCIENT  
IRRITATION.SKIN:EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED  
HANDLING.INGEST:EXPECTED TO BE A LOW INGESTI  
ON HAZARD.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%  
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:EYES:TRANSCIENT IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND  
WATER.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.EYES:FLUSH WITH WATER  
FOR 15 MINUTES.GET MEDICAL ATTE  
NTION IF SYMPTOMS OCCUR.INHAL:REMOVE  
TO FRESH AI R.GIVE OXYGEN OR ARTIFICIAL RESPIRATIONIF  
NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL  
ATTENTION.IF CONSCIOUS,GIVE 1-2 GLASSES OF WATER.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CARBON DIOXIDE.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND  
FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:T

HE FINELY DISPURSED DUST FROM THIS

PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PRESENCE OF SOURCES OF  
IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP;DO NOT CREATE DUST;PLACE IN A FIBER  
CARTON FOR DISPOSAL.DO NT USE A VACUUM CLEANER;FINE PARTICLES MAY  
BE A FIRE OR EXPLOSION HAZARD.CLEAN SURFACE TO REMOVE RESIDUAL  
CONTAMINATION.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

=====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.

Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION AT 4-6 ROOM CHANGES PER HOUR.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:DUST-PROOF GOGGLES,IF NEEDED.

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:212-302F

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.4-1.6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SOLID;BLACK;SLIGHT ODOR.

Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE,LANDFILL OR DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.