

QUICK START PRODUCTS LTD -- ETHER -- 2910-00-113-0720

===== Product Identification =====

Product ID:ETHER

MSDS Date:12/09/1995

FSC:2910

NIIN:00-113-0720

MSDS Number: BZQVP

=== Responsible Party ===

Company Name:QUICK START PRODUCTS LTD

Address:HIGHWAY 251 SOUTH

City:ROCHELLE

State:IL

ZIP:61068

Country:US

Info Phone Num:815-895-4545; 815-562-5414

Emergency Phone Num:815-895-4545

CAGE:78280

=== Con

tractor Identification ===

Company Name:KAMPI COMPONENTS CO., INC.

Address:210 RT 13

Box:721

City:BRISTOL

State:PA

ZIP:19007-3517

Country:US

Phone:215-736-2000

CAGE:7Z016

Company Name:QUICK START PRODUCTS LTD

Address:HIGHWAY 251 SOUTH

Box:City:ROCHELLE

State:IL

ZIP:61068

Country:US

Phone:815-562-5414

CAGE:78280

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ETHER (CERCLA)

CAS:60-29-7

RTECS #:KI5775000

Fraction by Wt: 91%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM
ACGIH TLV:400PPM/500STEL; 9495
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:ETHYLENE (SARA 313) (PROPELLANT)
CAS:74-85-1
RTECS #:KU5340000
Fraction by Wt: 6.5%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:ASPHYXIAN; 9495

Ingred Name:ETHYL ALCOHOL (ETHANOL)
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9495

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL
CAS:128-37-0
RTECS #:GO7875000
Fraction by Wt: 1%
PPM
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3; 9495

=====
===== Hazards Identification =====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:**TARGET-ORGANS:CNS, EYES** CASUAL
EXPOSURE SHOULD CAUSE NO NEGATIVE EFFECTS. ACUTE CONJUNCTIVITIS,
IRRITATION OF RESPIRATORY TRACT, HEADACHE,
DIZZINESS, ANOREXIA,
NAUSEA, VOMITING. NARCOSIS, ALUMINARIA, LASSITUDE.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:ACUTE CONJUNCTIVITIS, IRRITATION OF RESPIRATORY
SYSTEM, HEADACHE, DIZZINESS, ANOREXIA, NAUSEA, VOMITING,
ALUMINARIA, LASSITUDE.

=====
===== First Aid Measures =====

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET TO FRESH AIR.

T MEDICAL ATTENTION.

EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE 1-2 GLASSES OF MILK OR WATER TO DRINK. CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NOTHING BY MOUTH IF UNCONSCIOUS.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:-49F,-45C

L

Lower Limits:1.9

Upper Limits:48

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. WATER MAY BE INEFFECTIVE TO FIGHT FIRE BUT CAN BE USED TO COOL CONTAINERS.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS IN A POSITIVE MODE W/FULL FACEPIECE WHEN POSSIBILITY OF EXPOSURE TO SMOKE, FUMES EXIST.

Unusual Fire/Explosion Hazard:VAPORS MAY TRAVEL TO IGNITION SOURCES & FLASH BACK. RUNOFF TO SEWERS MAY CAUSE FIRE OR EXPLOSION. USE WATER TO FLUSH AWAY UNIGNITED SPILLS & DISPERSE VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE TO REMOVE FUMES. FLUSH LARGE SPILLS WITH WATER. RUNOFF TO SEWERS MAY CREATE FIRE OR EXPLOSION HAZARD.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE