

ALFA KLEEN -- ALFAKLEEN AK-053 FURNITURE POLISH -- 7930-01-381-5927

=====
Product Identification
=====

Product ID:ALFAKLEEN AK-053 FURNITURE POLISH

MSDS Date:07/28/1993

FSC:7930

NIIN:01-381-5927

MSDS Number: BZTGF

=== Responsible Party ===

Company Name:ALFA KLEEN

Address:2691 SATURN

City:BREA

State:CA

ZIP:92621-6703

Country:US

Info Phone Num:714-524-2530

Emergency Phone Num:800-424-9300

Preparer'

s Name:SYLVIA EVANGELISTA

CAGE:62639

=== Contractor Identification ===

Company Name:ALFA KLEEN CHEMICAL LABORATORIES INC

Address:840 CAPITOLIO WAY

Box:City:SAN LUIS OBISPO

State:CA

ZIP:93401

Country:US

Phone:805-541-3465

CAGE:62639

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL

CAS:64742-46-7

RTECS #:JN9379645

Fraction by Wt: 37.61%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CASTOR OIL

CAS:61791-12-6

Fraction by Wt: 6.27%

Other REC Limits:NONE

RECOMMENDED

Ingred Name:PAMAK W-4
CAS:8002-26-4
Fraction by Wt: 5.17%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MONOETHANOLAMINE
CAS:141-43-5
RTECS #:KJ5775000
Fraction by Wt: 3.92%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3 PPM
ACGIH TLV:3 PPM

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 47.03%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE KNOWN

=====
===== First Aid Measures =====

First Aid:AVOID DIRECT CONTACT W/EYES. IF EXPOSED FLUSH 15 MINUTES W/WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method:OC
Upper Limits:>200F
Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE.
Fire Fighting Procedures:WAT

ER MAY BE INEFFECTIVE BUT CAN BE USED TO
COOL CONTAINERS EXPOSED TO HEAT OR FLAME.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/APPROPRIATE INERT MATERIAL SUCH AS
SAND ETC.

Neutralizing Agent:WATER

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM
HEAT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED

Ventilation:NONE REQUIRED

Protective Gloves:NONE REQUIRED

Eye Protection:AVOID DIRECT EYE CONTACT.

Other Protective Equipment:NONE

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:333F,167C

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.06

pH:8.0

Viscosity:231 CPS

Evaporation Rate & Reference:NA

Solubility in Water:COMPLETE

Appearance

and Odor:WHITE, NO ODOR

Percent Volatiles by Volume:0

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATERIAL MAY BE LANDFILLED OR INCINERATED
AT APPROVED FACILITY. MATERIAL SHOULD BE RECYCLED IF POSSIBLE.

Disclaimer (provided with this information by the compiling age

ncies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.