

LOCTITE CORP -- 12292 TAK PAK 444 ADHESIVE PART A 0.70 OZ

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-148-9262
MSDS Date: 05/01/1995
MSDS Num: BZXTT
Product ID: 12292 TAK PAK 444 ADHESIVE PART A 0.70 OZ
MFN: 05
Kit Part: Y
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 1001 TROUT BROOK CRO
SSING
City: ROCKY HILL CT 06067-3910
Info Phone Number: 203-571-5100
Emergency Phone Number: 203-571-5100
Preparer's Name: STEPHEN REPETTO
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0
=====

=====
Ingredients
=====

Cas: 7085-85-0

Name: ETHYL-2-CYANOACRYLATE *96-2*

% Wt: 90-95

Cas: 9011-14-7

RTECS #: TR0400000

Name: POLYMETHYLMETHACRYLATE, PLEXIGLAS (CARCINOGEN BY IARC - GROUP 3) *96-2*

% Wt: 5-10

Cas: 123-31-9

RTECS #: MX3500000

Name: HYDROQUINONE; 1,4-DIHYDROXYBENZENE; 1,4-BENZENEDIOL

% Wt: 0.1-0.5

OSHA PEL: 2 MG/CUM

ACGIH TLV: 2 MG/CUM

EPA R

pt Qty: 1 LB

DOT Rpt Qty: 1 LB

RTECS #: 9999999VO

Name: VOLATILE ORGANIC CONTENT: 921.9 G/L
=====

Health Hazards Data
=====

LD50 LC50 Mixture: ORAL LD50(LAB ANIMAL): >5000 MG/KG

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: SKIN: IRRITATION & BURNS. BONDS RAPIDLY &
STRO

NGLY. EYES: IRRITANT. INHALATION: IRRITATING TO MUCOUS MEMBRANES.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: BURNS, IRRITATION.

Medical Cond Aggravated By Exposure: ALLERGIC REACTIONS W/ASTHMA LIKE SYMPTOMS.

First Aid: INHALATION: REMOVE TO FRESH AIR. SKIN: SOAK IN WARM WATER. EYES:
FLUSH W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.
=====

Handling and Disposal
=====

====

Spill Release Procedures: FLOOD W/WATER TO POLYMERIZE. SOAK UP W/AN INERT ABSORBENT.

Waste Disposal Methods: INCINERATE IAW/FEDERAL, STATE & LOCAL REGULATIONS. COMBUSTIBLE LIQUID NA1993.

Handling And Storage Precautions: STORE AT < 75F.

Other Precautions: AVOID CONTACT W/SKIN & EYES. AVOID BREATHING VAPOR.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: T

CC

Flash Point Text: 150-200F

Extinguishing Media: CO2, FOAM, DRY CHEMICAL.

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Ventilation: POSITIVE DOWN-DRAFT EXHAUST TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves: NITRILE/POLYETHYLENE

Eye Protection: SAFETY GLASSES/GOGGLES

Other Protective Equipment: APRONS, DON'T USE COTTON.

=====

=====

Physical/Chemical Properties

=====

B.P. Text: >300F

Vapor Pres: <0.2

Vapor Density: 3

Spec Gravity: 1.05

Appearance and Odor: CLEAR LIQUID W/SHARP IRRITATING ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT

Materials To Avoid: WATER, ALCOHOLS, AMINES, ALKALIES.

Hazardous Decomposi

tion Products: THERMAL: IRRITATING ORGANIC VAPORS, SMOKE

Hazardous Polymerization Indicator: YES

=====

Toxicological Information

=====

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

Other Information

HAZCOM Label

Product ID: 12292 TAK PAK 444 ADHESIVE PART A 0.70 OZ

Cage: 7K128

Company Name: LOCTITE CORP

St

reet: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-571-5100

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: SKIN: IRRITATION & BURNS. BONDS RAPIDLY &
STRONGLY. EYES: IRRITANT. INHALATION: IRRITATING TO MUCOUS MEMBRANES.
BURNS,
IR RITATION.

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this

instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.