View NSN Online: https://aerobasegroup.kr/nsn/6550-01-153-6988

BIOMERIEUX VITEK INC -- V7052 FERRIC CHLORIDE 10% -- 6550-01-153-6988

========= Product Identification ============

Product ID:V7052 FERRIC CHLORIDE 10%

MSDS Date:04/03/1996

FSC:6550

NIIN:01-153-6988

MSDS Number: BZXTY === Responsible Party ===

Company Name: BIOMERIEUX VITEK INC

Address:595 ANGLUM DRIVE

City:HAZELWOOD

State:MO

ZIP:63042-5000 Country:US

Info Phone Num:800-638-4835/314-854-0344

Emergency Phone

Num:314-854-0344/800-638-4835

CAGE:0Z9R8

=== Contractor Identification ===

Company Name: BIOMERIEUX VITEK INC

Address:595 ANGLUM Box:City:HAZELWOOD

State:MO

ZIP:63042-5000

Country:US

Phone:800-638-4835/314-854-0344

CAGE:0Z9R8

====== Composition/Information on Ingredients ========

Ingred Name: FERRIC CHLORIDE

CAS:7705-08-0 RTECS #:LJ9100000 Fraction by Wt: 10% ACGIH TLV:1 MG/CUM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by

======================================
LD50 LC50 Mixture:ORAL LD50(RAT): 450 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION TO MUCOUS MEMBRANES & RESPIRATORY TRACT, LUNG DAMAGE. SKIN: IRRITATION, CHEMICAL BURNS, SENSITIZATION. EYES: IRRITATION, BURNS. INGESTION: GI IRRITATION. LARGE AMOUNTS WILL CAUS E MASSIVE IRON ABSORPTI ON WHICH CAUSES DAMAGE TO SYSTEMIC BLOOD VESSELS & LIVER. (SEE SUPP) Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, BURNING, BURNS, BROWN DISCOLORATION, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN. Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY &/SKIN DISEASES.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. SKIN: WASH THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS/CONVULSING PERSON. IF CONSCIOUS, RINSE MOUTH W/WATER/MILK. GIVE MILK/WATER TO DILUTE. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point:NONE Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING AREAS. Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE
========= Acciden tal Release Measures =============
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT (GLOVES & GOGGLES). COLLECT W/ABSORBENT MATERIAL & PLACE IN A CONTAINER FOR DISPOSAL.
============ Handling and Storage ==============
Other Precautions:KEEP OUT OF REACH OF CHILDREN. RINSE IMMEDIATELY W/PLENTY OF WATER. AVOID BREATHING, TOUCHING, SMOKING & CONTACT W/SKIN & EYES.
====== Exposure Controls/Personal Protection ========

Wt: 90%

Respiratory Protection:

IF EXPOSURE EXCEED THE EXPOSURE LIMITS, WEAR AN APPROVED DUST/MIST RESPIRATOR/SUPPLIED AIR RESPIRATOR. Ventilation: GENERAL LABORATORY VENTILATION SHOULD BE ADEQUATE. Protective Gloves:BUTYL RUBBER/NEOPRENE Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: IMPERVIOUS CLOTHING. Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health HEALTH HAZARDS CONT'D: PROLONGED/REPEATED EXPOSURE MAY CAUSE DERMATITIS. CHRONIC EXPOSURE MAY DAMAGE TO THE LIVER & PANCREAS. ========= Physical/Chemical Properties =========== Vapor Pres: AS WATER Vapor Density: AS WATER Spec Gravity:1.15 pH:4.9 Solubility in Water: COMPLETE Appearance and Odor:BRIGHT YELLOW LIQUID W/NO ODOR. Percent Volatiles by Volume:90 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ALLYL CHLORIDE, AROMATIC MONOMERS, ETHYLENE OXIDE, CORROSIVE TO METALS Stability Condition to Avoid: EXCESSIVE HEAT. Hazardous Decomposition Products: HYDROGEN CHLORIDE GAS ======= Disposal Considerations ============ REGULATIONS. CORROSIVE, UN2582. EMPTY CONTAINERS SHOULD BE COLLECTED FOR PROPER DISPOSAL.

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United S

tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.