

TENNANT CO -- 08684 698 NEUTRAL SRS -- 7930-01-397-1376

=====
Product Identification
=====

Product ID:08684 698 NEUTRAL SRS
MSDS Date:07/20/1995
FSC:7930
NIIN:01-397-1376
MSDS Number: BZXWM
=== Responsible Party ===
Company Name:TENNANT CO
Address:701 N LILAC DR
Box:1452
City:MINNEAPOLIS
State:MN
ZIP:55422-5000
Country:US
Info Phone Num:612-738-9734/612-540-1381
Emergency Phone Num:612-544-5163/61
2-540-1381
CAGE:59500
=== Contractor Identification ===
Company Name:TENNANT CO
Address:701 N LILAC DR
Box:1452
City:MINNEAPOLIS
State:MN
ZIP:55440-1452
Country:US
Phone:612-540-1556/800-553-8033
CAGE:59500

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYDROXIDE, CAUSTIC SODA, LYE
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 1%
Other REC Limits:2MG/M3 CEILING NIOSH
OSHA PEL:2 MG/CUM
ACGIH TLV:2 MG/CUM CEILING
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LB

S

Ingred Name:2-BUTOXYETHANOL (ETHYLENE GLYCOL MONOBUTYL ETHER), BUTYL
CELLOSOLVE, BUTYL GLYCOL, GLYCOL ETHER EB * 96-2 *

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 5-10%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:25 PPM (SKIN)

ACGIH TLV:25 PPM (SKIN)

Ingred Name:POTASSIUM ROSIN SOAP

CAS:61790-50-9

Fraction by Wt: 1-5%

Ingred Name:-1-METHYL-4-(1-METHYLETHENYL)CYCLOHEXENE, CARVENE, CINENE,
D-LIMONE (ANIMAL LIMITED EVIDENCE, NTP & IARC GROUP 3) *96-2*

CAS:5989-27-5

RTECS #:GW6360000

F

Fraction by Wt: 1-10%

Ingred Name:5(6)-CARBOXY-4-HEXYL-2-CYCLOHEXENE-1-OCTANOIC ACID, SODIUM
SALT

CAS:68127-35-5

Fraction by Wt: 5-15%

Ingred Name:NONYLPHENOL POLYOXYETHYLENE ETHER; POLYOXYETHYLENE
NONYLPHENOL; TERGITOL NPX; TRITON N-100; NONIONIC SURFACTANT
96-2

CAS:9016-45-9

RTECS #:MD0900000

Fraction by Wt: 1-5%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:DIETHANOLAMINE OLEATE

CAS:13961-86-9

RTECS #:RK0880000

Fraction by Wt: 1-5%

Ingred Name:GLYCOL ETHERS,

DIETHYLENE GLYCOL, 2,2-OXYBISETHANOL

CAS:111-46-6

RTECS #:ID5950000

Fraction by Wt: 8%

Ingrid Name:ETHYLENE OXIDE (SUSPECTED HUMAN CARCINOGEN BY ACGIH, IARC,
& OSHA; IARC GROUP 1; SUSP CARCINOGEN BY NTP) *96-2*

CAS:75-21-8

RTECS #:KX2450000

ACGIH TLV:1.8 MG/CUM (A2)

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50(RABBIT): 300 MG/KG (SEE SUPP)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

R

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:SKIN: CAN CAUSE BURNS. EYES: SEVERE
IRRITATION & POSSIBLE CORNEAL INJURY. INGESTION: MAY CAUSE BURNING
& SEVERE INFLAMMATION TO MUCOUS MEMBRANES. INHALATION: MAY BURN
NASAL PASSAGES. ETHYLENE OXIDE: A TRACE AMOUNT MAY EXIST AS A
CONTAMINANT IN THE NONIONIC SURFACTANT.

Explanation of Carcinogenicity:SEE INGREDIENTS.

Effects of Overexposure:BURNS, IRRITATION, INFLAMMATION, BURNING
SENSATION,

N, GASTRIC UPSET, DIARRHEA, HEADACHE.

Medical Cond Aggravated by Exposure:2-BUTOXYETHANOL: PRE-EXISTING BLOOD
DISORDERS.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH IMMEDIATELY W/MILD SOAP & WATER. RINSE THOROUGHLY
W/COOL WATER. PAT DRY. DON'T RUB. EYES: FLUSH IMMEDIATELY W/WATER
FOR 15 MINS. INGESTION: DON'T ATTEMPT TO INDUCE VOMITING, GIVE 2
GLASSES OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL
ATTENTION IN ALL CASES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATERIAL. SWEEP/SCOOP UP & PUT
IN DISPOSAL CONTAINER. FLUSH AREA W/WATER; PREVENT WASHINGS FROM
ENTERING WATERWAYS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP FROM
FREEZING. STORE SEPARATE FROM OXIDIZERS. AVOID FREE FALL OF LIQUID
IN EXCESS OF A FEW INCHES.

Other Precautions:

DON'T TAKE INTERNALLY. AVOID CONTAMINANT OF SKIN. USE
W/ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE W/ADEQUATE VENTILATION.
Ventilation:LOCAL EXHAUST.
Protective Gloves:IMPERVIOUS/RUBBER
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE FOUNTAIN.
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE. DON'T WEAR CONTACT LENSES WHEN WORKING W/THIS MATERIAL.
Supplemental Safety
and Health
THE ORAL LD50 INFORMATION IS FOR 2-BUTOXYETHANOL.

===== Physical/Chemical Properties =====

HCC:B3
Boiling Pt:B.P. Text:212F
Melt/Freeze Pt:M.P/F.P Text:32F
Vapor Density:>1
pH:9-9.5
Evaporation Rate & Reference:FASTER THAN N-BU AC
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR DARK AMBER LIQUID W/CITRUS ODOR
Percent Volatiles by Volume:82/WT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to
Avoid:YES
STRONGLY ACIDIC MATERIALS & STRONG OXIDIZERS.
Stability Condition to Avoid:FREEZING
Hazardous Decomposition Products:CO₂, CO, NITROGEN OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner

whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.