View NSN Online: https://aerobasegroup.kr/nsn/7930-01-397-1376

TENNANT CO -- 08684 698 NEUTRAL SRS -- 7930-01-397-1376

Product ID:08684 698 NEUTRAL SRS

MSDS Date:07/20/1995

FSC:7930

NIIN:01-397-1376

MSDS Number: BZXWM === Responsible Party === Company Name:TENNANT CO Address:701 N LILAC DR

Box:1452

City:MINNEAPOLIS

State:MN

ZIP:55422-5000

Country:US

Info Phone Num:612-738-9734/612-540-1381 Emergency Phone Num:612-544-5163/61

2-540-1381 CAGE:59500

=== Contractor Identification ===
Company Name:TENNANT CO

Address:701 N LILAC DR

Box:1452

City:MINNEAPOLIS

State:MN

ZIP:55440-1452 Country:US

Phone:612-540-1556/800-553-8033

CAGE:59500

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM HYDROXIDE, CAUSTIC SODA, LYE

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 1%

Other REC Limits: 2MG/M3 CEILING NIOSH

OSHA PEL:2 MG/CUM

ACGIH TLV:2 MG/CUM CEILING

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LB

Ingred Name:2-BUTOXYETHANOL (ETHYLENE GLYCOL MONOBUTYL ETHER), BUTYL CELLOSOLVE, BUTYL GLYCOL, GLYCOL ETHER EB * 96-2 *

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 5-10%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:25 PPM (SKIN) ACGIH TLV:25 PPM (SKIN)

Ingred Name: POTASSIUM ROSIN SOAP

CAS:61790-50-9 Fraction by Wt: 1-5%

Ingred Name:-1-METHYL-4-(1-METHYLETHENYL)CYCLOHEXENE, CARVENE, CINENE, D-LIMONE (ANIMAL LIMITED EVIDENCE, NTP & IARC GROUP 3) *96-2*

CAS:5989-27-5

RTECS #:GW6360000

F

raction by Wt: 1-10%

Ingred Name:5(6)-CARBOXY-4-HEXYL-2-CYCLOHEXENE-1-OCTANOIC ACID, SODIUM SALT

CAS:68127-35-5

Fraction by Wt: 5-15%

Ingred Name:NONYLPHENOL POLYOXYETHYLENE ETHER; POLYOXYETHYLENE NONYLPHENOL; TERGITOL NPX; TRITON N-100; NONIONIC SURFACTANT *96-2*

CAS:9016-45-9

RTECS #:MD0900000 Fraction by Wt: 1-5%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name: DIETHANOLAMINE OLEATE

CAS:13961-86-9 RTECS #:RK0880000 Fraction by Wt: 1-5%

Ingred Name: GLYCOL ETHERS,

Fraction by Wt: 8%
Ingred Name:ETHYLENE OXIDE (SUSPECTED HUMAN CARCINOGEN BY ACGIH, IARC, & OSHA; IARC GROUP 1; SUSP CARCINOGEN BY NTP) *96-2* CAS:75-21-8 RTECS #:KX2450000 ACGIH TLV:1.8 MG/CUM (A2) EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS
======================================
LD50 LC50 Mixture:ORAL LD50(RABBIT): 300 MG/KG (SEE SUPP) Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES R
eports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:SKIN: CAN CAUSE BURNS. EYES: SEVERE IRRITATION & POSSIBLE CORNEAL INJURY. INGESTION: MAY CAUSE BURNING & SEVERE INFLAMMATION TO MUCOUS MEMBRANES. INHALATION: MAY BURN NASAL PASSAGES. ETHYLENE OXIDE: A TRACE AMOUNT MAY EXIST AS A CONTAMINANT IN THE NONIONIC SURFACTANT. Explanation of Carcinogenicity:SEE INGREDIENTS. Effects of Overexposure:BURNS, IRRITATION, INFLAMMATION, BURNING SENSATIO N, GASTRIC UPSET, DIARRHEA, HEADACHE. Medical Cond Aggravated by Exposure:2-BUTOXYETHANOL: PRE-EXISTING BLOOD DISORDERS.
======================================
First Aid:SKIN: WASH IMMEDIATELY W/MILD SOAP & WATER. RINSE THOROUGHLY W/COOL WATER. PAT DRY. DON'T RUB. EYES: FLUSH IMMEDIATELY W/WATER FOR 15 MINS. INGESTION: DON'T ATTEMPT TO INDUCE VOMITING, GIVE 2 GLASSES OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CA SES.
=========== Accidental Release Measures ==========
Spill Release Procedures:ABSORB W/INERT MATERIAL. SWEEP/SCOOP UP & PUT IN DISPOSAL CONTAINER. FLUSH AREA W/WATER; PREVENT WASHINGS FROM ENTERING WATERWAYS.
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP FROM FREEZING. STORE SEPARATE FROM OXIDIZERS. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES. Other Precautions:

DIETHYLENE GLYCOL, 2,2-OXYBISETHANOL

CAS:111-46-6

RTECS #:ID5950000

DON'T TAKE INTERNALLY. AVOID CONTAMINANT OF SKIN. USE W/ADEQUATE VENTILATION. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: USE W/ADEQUATE VENTILATION. Ventilation:LOCAL EXHAUST. Protective Gloves: IMPERVIOUS/RUBBER Eye Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYE FOUNTAIN. Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DON'T WEAR CONTACT LENSES WHEN WORKING W/THIS MATERIAL. Supplemental Safety and Health THE ORAL LD50 INFORMATION IS FOR 2-BUTOXYETHANOL. ======== Physical/Chemical Properties =========== HCC:B3 Boiling Pt:B.P. Text:212F Melt/Freeze Pt:M.P/F.P Text:32F Vapor Density:>1 pH:9-9.5 Evaporation Rate & Dr. Reference: FASTER THAN N-BU AC Solubility in Water: COMPLETE Appearance and Odor: CLEAR DARK AMBER LIQUID W/CITRUS ODOR Percent Volatiles by Volume:82/WT ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONGLY ACIDIC MATERIALS & STRONG OXIDIZERS. Stability Condition to Avoid:FREEZING

Hazardous Decomposition Products: CO2, CO, NITROGEN OXIDES.

======== Disposal Considerations =============

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner

whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.