

ARCOS ALLOYS DIV HOSKINS MFG CO -- BARE-WIRE FILLER METALS, 816 -- 3439-00-205-0993

=====
Product Identification
=====

Product ID:BARE-WIRE FILLER METALS, 816

MSDS Date:05/01/1994

FSC:3439

NIIN:00-205-0993

MSDS Number: CBQFT

=== Responsible Party ===

Company Name:ARCOS ALLOYS DIV HOSKINS MFG CO

Address:1 ARCOS DR

City:MT CARMEL

State:PA

ZIP:17851

Country:US

Info Phone Num:717-339-5200

Emergency Ph

one Num:800-424-9300(CHEMTREC)

CAGE:03805

=== Contractor Identification ===

Company Name:ARCOS ALLOYS DIV OF HOSKINS MFG CO

Address:#1 ARCOS DRIVE

Box:308

City:MTCARMEL

State:PA

ZIP:17851

Country:US

Phone:717-339-5200, CHEMTREC 800-424-9300

CAGE:03805

Company Name:ARCOS ALLOYS DIVISION OF HOSKINS MFG. CO.

Address:#1 ARCOS DRIVE

Box:City:MT CARMEL

State:PA

ZIP:17851

Country:US

Phone:570-339-5200; 717-339-5200

CAGE:19270

=====
Composition/Information on Ingredients
=====

Ingred

Name:IRON; (FE)
CAS:7439-89-6
RTECS #:NO4565500
Fraction by Wt: 2.5%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:CHROMIUM; (CR) (SARA 313) (CERCLA)
CAS:7440-47-3
RTECS #:GB4200000
Fraction by Wt: 0.01%
OSHA PEL:1 MG/M3
ACGIH TLV:0.5 MG/M3
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:MANGANESE; (MN) (SARA 313)
CAS:7439-96-5
RTECS #:OO9275000
Fraction by Wt: 4%
OSHA PEL:5 MG/M3 DUST, C
ACGIH TLV:5 MG/M3 DUST

Ingred Name:NICKEL; (NI) (SARA 313) (CERCLA)
CAS:7440-02-0
RTECS #:QR5950000
Fraction
by Wt: 69%
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3

Ingred Name:TITANIUM; (TI)
CAS:7440-32-6
RTECS #:XR1700000
Fraction by Wt: 2.25%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:COPPER; (CU) (SARA 313) (CERCLA)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: BALANCE
OSHA PEL:0.1MG/M3 FUME;1 DUST
ACGIH TLV:0.2 MG/M3 FUME
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:HAZ DECOMP PROD:BEING WELDED, PROCS, PROCESSES & TYPE OF
WIRE/ELECTRODES USED. OTHER INFLUENCING FACTORS ARE (ING 8)
RTECS #:

9999999ZZ

Ingred Name:ING 7:PRESENCE OF CONTAMS IN ATM. DECOMP PRODS FROM WELDING/CUTTING OPERATION INCL THOSE FROM VOLATILIZATION, RXN(ING 9)

RTECS #:9999999ZZ

Ingred Name:ING 8:&/OR OXIDATION OF INGS & MAY INCL OXIDES OF METALS, CHROMATES & COMPLEX METALLICS. GASEOUS RXN PRODS MAY (ING 10)

RTECS #:9999999ZZ

Ingred Name:ING 9:INCL CARBON MONOXIDE, OZONE & NITROGEN OXIDES. CHLORINATED SOLVS MAY BE DECOMPOSED INTO TOX GASES SUCH AS (ING 11)

RTECS #:9999999ZZ

Ingred Name:ING 10

:PHOSGENE. WHEN ELECTRODES ARE CONSUMED, FUME & GAS

DECOMP PRODS GENERATED ARE DIFF IN FORM FROM INGS. NEW(ING 12)

RTECS #:9999999ZZ

Ingred Name:ING 11:COMPDS NOT IN ELECTRODES MAY FORM. KNOWN GASES & FUMES THAT MAY FORM DURING WELDING/HOT CUTTING ARE: (ING 13)

RTECS #:9999999ZZ

Ingred Name:ING 12:ALUMINUM FUMES, CARBON MONOXIDE, CHROMIUM, CHROMIUM(CHROMATES), COBALT FUME, COPPER FUME, IRON OXIDE (ING 14)

RTECS #:9999999ZZ

Ingred Name:ING 13:FUME, MANGANESE FUME, MOLYBDENUM, NICKEL, TUNGSTEN,

NITROGEN DIOXIDE, OZONE &/OR PHOSGENE.

RTECS #:9999999ZZ

Ingred Name:EFTS OF OVEREXP:EDEMA, ASPHYX & EXCESSIVE EXPOS CAN BE FATAL. CHRONIC:EXPOS MAY RSLT IN NEUROLOGICAL DMG, LUNG (ING 16)

RTECS #:9999999ZZ

Ingred Name:ING 15:FIBROSIS, PNEUMOCONIOSIS & OTHER LUNG DISEASES. IN CASE OF ELEC SHOCK, TURN OFF POWER PRIOR TO REMOVAL (ING 17)

RTECS #:9999999ZZ

Ingred Name:ING 16:FROM EXPOSURE AREA & ADMINISTRATION OF FIRST AID.

RTECS #:9999999ZZ

Ingred Name:OTHER PROT EQUIP:

CUTTING, GRINDING OR WELDING. PROVIDE
PROTECTIVE SCREENS TO SHIELD OTHERS.
RTECS #:9999999ZZ

Ingrid Name:EXPLAN OF CARCIN:ON CARCINOGENS, 1994:ANTICIPATED TO BE
CARCINOGEN. HUMAN:LUNGS, NASAL CAVITIES.
RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:THIS

PROD POSES NO HLTH HAZ AS

SHIPPED, BUT MAY POSE HLTH HAZ DURING USE. ELEC ARC WELDING RAYS
CAN INJURE EYES & BURN SKIN. DUST, FUMES & GASES CAN BE DANGEROUS
TO YOUR HLTH. LUNG DMG MAY RSLT FROM O VEREXP. FUMES, GASES & DUST
CAN BE HLTHHAZ THRU INHAL. ACUTE:SHORT TERM EXPOS TO WELDING FUMES,
GASES/(EFTS OF OVEREXP)

Explanation of Carcinogenicity:NICKEL:IARC MONOGRAPHS ON EVAL OF CARCIN
RISK OF CHEMS TO MAN, VOL 49, PG 257, 1990:GRP 2B. NTP 7TH ANNUAL
RPT (ING 19)

Effe

cts of Overexposure:HLTH HAZ:DUST MAY RSLT IN DISCOMFORT SUCH AS
DIZZ, NAUS, FEVER, DRYNESS &/OR IRRIT OF NOSE, THROAT & EYES. SKIN
SENSITIVITY MAY ALSO BE NOTED. ACUTE EXPOS CAN RSLT IN SAME SYMPS
EXCEPT TO GREATER DEGR EE AS WELL AS WATERY EYES, HDCH, BRTHG
DFCLTY, FREQUENT COUGH &/OR CHEST PAINS. SOME TOX GASES MAY CAUSE
PULM (ING 15)

Medical Cond Aggravated by Exposure:SOME WORKERS MAY EXPERIENCE
DISCOMFORT AT CONCS BELOW TLVS & OTHERS MAY BE AFFECTED BY A
PRE-EXI

STING CONDITION OR OTHER OCCUP ILLNESS BECAUSE OF WIDE
VARIATION IN INDIVIDUAL SUSCEPTIBILITIES.

=====
===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT
ADMINISTER OXYGEN. IF NOT BREATHING BEGIN ARTIFICIAL RESPIRATION.
IF NO DETECTABLE PULSE BEGIN EXTERNAL HEART MASSAGE. SKIN:WASH
AFFECTED AREA W/SO AP & WATER. EYES:FLUSH W/LARGE AMOUNTS OF FRESH
WATER FOR AT LEAST 15 MINUTES. INGEST:SEEK MEDICAL AT

TENTION. IN

ALL CASES, SEEK MEDICAL ATTENTION FOR FIRST AID.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Extinguishing Media:MEDIA SUITABLE FOR SURROUNDING FIRE .

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:ARCS, SPARKS & MOLTEN METAL CAN IGNITE FLAMMABLES & COMBUSTIBLES OR CAUSE EXPLOSIONS.

===== Accidental Release Measures =====

Spi

Il Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUES & PLACE IN SUITABLE DOT APPROVED CONTAINERS. AVOID INHALATION & SKIN EXPOSURE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT EXPOSE SKIN TO RADIATION WHEN HOT CUTTING OR WELDING.

Other Precautions:REFER TO FOLLOWING SOURCES FOR ADDNL IMPORTANT INFO:
ANSI Z49.1 - AMERICAN WELDING SOCIETY, P.O. BOX 3510

40, MIAMI, FL

33135; OSHA (29CFR 1910) - U.S. DEPT OF LABOR, WASHINGTON D.C.
20210.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPRVD WELD FUME RESP/AIR SUPPLIED RESP WHEN CUTTING, GRINDING/WELDING IN CONFINED SPACE/WHERE LOC EXHST/GEN VENT DOES NOT KEEP EXPOS BELOW REC LIMS. MONITOR AIR QUALITY INSIDE WELDER'S HELMET, IF WORN, &/OR WORKER'S (SUPDAT)

Ventilation:USE ENOUGH VENT WHEN CUTTING, GRINDING/WELDING TO KEEP

DUST, FUMES & GASES FROM WORKERS BRTHG ZONE & GEN AREA. (SUPDAT)

Protective Gloves:WELDING GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT)

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA . WEAR FLAME RETARDANT CLTHG WHEN (ING 18)

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

RESP PROT:BRTHG ZONE TO DETERMINE IF RESP IS REQD & TYPE NEEDED. USE ONLY NIOSH/MSHA APPRVD RESPS. V

ENT:KEEP EXPOS BELOW LIMS SPECIFIED.

EYE PROT:& FULL LGTH FCSHLD . IN ADDN, WHEN HOT CUTTING/W ELDING,
WEAR WELDING HELMET/FCSHLD W/FILTER LENS. SELECT WELDING LENS SHADE
FROM AWS PUBLICATION F2.2.

===== Physical/Chemical Properties =====

HCC:T6

Appearance and Odor:BARE FILLER METALS ARE SOLID WIRE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.

Stability Co

ndition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:WELDING & HOT CUTTING FUMES & GASES
CANNOT BE CLASSIFIED SIMPLY. THEIR COMPOSITION & QTY ARE DEPENDENT
ON METAL (ING 7)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN FULL COMPLIANCE W/FEDERAL, STATE &
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements
of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.