

ROYAL LUBRICANTS CO INC -- 2U 756F; ROYCO 756 -- 9150-00-265-9408

===== Product Identification =====

Product ID:2U 756F; ROYCO 756

MSDS Date:04/18/1995

FSC:9150

NIIN:00-265-9408

MSDS Number: CBQHN

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO INC

Address:RIVER ROAD

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-7410

Emergency Phone Num:201-887-3100

CAG

E:6V632

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS CO INC (REPLACED BY CAGE CODE 07950)

Address:MERRY LANE

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:201-887-7410

CAGE:6V632

===== Composition/Information on Ingredients =====

Ingred Name:PER MSDS: PRODUCT NOT CLASSIFIED AS HAZARDOUS MATERIAL IN
NORMAL USE AS DEFINED IN DEPARTMENT OF LABOR REGULATION 29CFR
1915.2,1916.2,1917.2.

Other REC Limits:NONE RECOMMENDED

=====

==== Hazards Identification =====

LD50 LC50 Mixture:TLV: 5MG/M3 (APPLIES TO OIL MIST ONLY)

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SLIGHT TO MODERATE IRRITATION TO SKIN/EYES.

Explanation of Carcinogenicity:PER MSDS:POTENTIAL CARCINOGEN LISTS:NTP/IARC/OSHA:NO.

Effects of Overexposure:SLIGHT TO MODERATE IRRITATION TO SKIN/EYES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:DOES NOT GIVE OFF HARMFUL CONCENTRATIONS OF VAPOR EXCEPT AT HIGH TEMPERATURES. INGEST:DO NOT INDUCE VOMIT. GIVE 1/2 PINT OF MILK OR WATER & OBTAIN MED ATTN. ASPIRATION:OBTAIN MED ATTN. EYE:WASH W/COPIOUS QUANTITIES OF WATER.

=====
===== Fire Fighting Measures =====

Flash Point:220F,104C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NP

Upper Limits:NP

Extinguishing Media:CO2, DRY CHEMICAL POWDER, OR FOAM EXTINGUISHERS.

Fire Fighting Procedures:DO NOT USE WATER JETS. USE AIR SUPPLIED BREATHING EQPMT IN ENCLSD AREA.

Unusual Fire/Explosion Hazard:NP

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/CLAY, DIATOMACEOUS EARTH, OR OTHER INERT ABSORBENT. SHOULD NOT CONTAMINATE DRAINAGE SYSTEMS, RIVERS, OR WATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

==

=====
===== Handling and Storage =====

Handling and Storage Precautions:NORMAL PROCEDURES AND QUALITY CONTROL REQUIREMENTS.

Other Precautions:WASH HANDS THOROUGHLY W/SOAP/WARM WATER BEFORE HANDLING FOOD/SMOKING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED BREATHING EQUIPMENT IF OIL MIST IS GENERATED.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:NOT NORMALLY REQUIRED.

Eye Protect

ion:GOGGLES IF OIL IS BEING SPRAYED.

Other Protective Equipment:NONE SPECIFIED BY MFG.THE MAIN PROTECTIVE MEASURE W/THIS PRODUCT IS MINIMAL CONTACT W/SKIN & TO OBSERVE GOOD HYGIENE.

Work Hygienic Practices:OBSERVE GOOD HYGIENE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F,316C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NP

Vapor Density:NP

Spec Gravity:0.87

pH:NP

Viscosity:N

P

Evaporation Rate & Reference:NP

Solubility in Water:INSOLUBLE

Appearance and Odor:MIXTURE, RED WITH SLIGHT PETROLUEM ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS LIQUID OXYGEN.

Stability Condition to Avoid:AVOID EXTREME HEAT.

Hazardous Decomposition Products:FORMS SMOKE, FUMES, CARBOON MONOXIDE DURING COMBUSTION OR PAST FLASHPOINT.

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED BURNING OR DISPOSAL CONFORMING TO LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing t

his
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.