

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX QUIK-SET POWDER -- 5610-00-618-0260

=====
Product Identification
=====

Product ID:DEX-O-TEX QUIK-SET POWDER

MSDS Date:01/19/1995

FSC:5610

NIIN:00-618-0260

MSDS Number: CBQKR

=== Responsible Party ===

Company Name:CROSSFIELD PRODUCTS CORP

Address:3000 HARCOURT ST

City:RANCHO DOMINGUEZ

State:CA

ZIP:90221

Country:US

Info Phone Num:310-886-9100

Emergency Phone Num

:310-886-9100

Preparer's Name:R L MEYER

CAGE:60782

=== Contractor Identification ===

Company Name:CROSSFIELD PRODUCTS CORP.

Address:3000 EAST HARCOURT ST.

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-886-9100

CAGE:60782

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICATE, PORTLAND CEMENT; (PORTLAND CEMENT)

CAS:65997-15-1

RTECS #:VV8770000

OSHA PEL:50 MPPCF; Z-3

ACGIH TLV:10 MG/M3 TDUST

Ingred Name:SILICA, CRYSTALLINE - QUARTZ; (CRYSTALLINE SIL

ICA)
CAS:14808-60-7
RTECS #:VV7330000
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:0.1 MG/M3 RDUST

Ingred Name:PUMICE
CAS:1332-09-8
OSHA PEL:N/K
ACGIH TLV:N/K

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE:WET CEMENT MAY CAUSE ALKALI
BURNS AND DRY THE SKIN. CHRONIC:FREE SILICA D
UST MAY CAUSE DELAYED
LUNG INJURY.
Explanation of Carcinogenicity:SILICA, CRYSTALLINE-QUARTZ:IARC MONO,
SUPP. VOL 7, PG 341, 1987:GROUP 2A. NTP 7TH ANNUAL RPT ON CARCINS,
1994: (SUPDAT)
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:DUST MAY CAUSE EYE AND NOSE
INFLAMMATION.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE SUBJECT TO FRESH AIR. EYES:FLUSH WITH PLENTY OF
WATER FOR AT LEAST 15 MINUTES &
CALL PHYSICIAN. SKIN:WASH WITH SOAP
AND WATER. INGEST:CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:NOT APPLICABLE. MEDIA SUITABLE FOR SURROUNDING FIRE
.
Fire Fighting Procedures:NONE. USE NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR VACUUM USING GOOD VENTILATION.
Neutralizing

Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREA. AFTER HANDLING,
WASH THOROUGHLY.
Other Precautions:PROTECT SKIN FROM CONTACT OF WET CEMENT. MAKE SURE
TLV OF SIO*2, IS NOT EXCEEDED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENVIRONMENT IS DUSTY, USE NIOSH/MSHA APPROVED
RESPIRATOR.
Ventilation:GOOD VENTILATION. LOCAL EXHA
UST:YES. MECHANICAL
(GENERAL):YES - FOLLOW OSHA STANDARD.
Protective Gloves:RUBBER GLOVES.
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment:ANSI APPROVED EMERGENCY EYE WASH & DELUGE
SHOWER .
Work Hygienic Practices:AFTER HANDLING, WASH THOROUGHLY.
Supplemental Safety and Health
EXPLAN OF CARCIN:ANTIC TO BE CARCINOGEN.

=====
===== Physical/Chemical Properties =====

Solubility in Water:SLIGHT
Appearance and Odor:GRAY POWDER - NO ODOR.

==
=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE.
Stability Condition to Avoid:KEEP DRY TILL USED.
Hazardous Decomposition Products:NONE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN SANITRAY LANDFILL IN ACCORDANCE
WITH STATE, LOCAL AND FEDERAL REGULATIONS ON SOLID WASTES.

Disclaimer (provided with this information by the compiling agencies):
This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.