

DELTA PLASTICS CO (FORMALLY DELTA DPC, INC) -- DR 20-19 PART A -- 8040-00-728-2887

===== Product Identification =====

Product ID:DR 20-19 PART A

MSDS Date:06/21/1993

FSC:8040

NIIN:00-728-2887

Kit Part:Y

MSDS Number: CBQLB

=== Responsible Party ===

Company Name:DELTA PLASTICS CO (FORMALLY DELTA DPC, INC)

Address:10513 ROAD 236

City:TERRA BELLA (FORMALLY IN TULARE)

State:CA

ZIP:93270

Country:US

Inf

o Phone Num:209-535-1332 / 209-535-3723 (FAX)

Emergency Phone Num:209-535-1332

Preparer's Name:ERIC SKIFF

CAGE:DO191

=== Contractor Identification ===

Company Name:DELTA DPC, INC

Address:983 E. LEVIN AVE.

Box:City:TULARE

State:CA

ZIP:93274

Country:US

Phone:209-686-1644

CAGE:0ND20

Company Name:DELTA PLASTICS CO.

Address:280 MAIN ST. PO BOX 489

Box:489

City:PIXLEY

State:CA

ZIP:93256

Phone:209-757-2010

CAGE:DO191

===== Composition/Information on Ingredients =====

Ingred Name:BIS

PHENOL A-EPICHLOROHYDRIN COPOLYMER/DIGLYCIDYL ETHER OF  
BISPHENOL A EPOXY RESIN

CAS:25068-38-6

RTECS #:SL6475000

&lt; Wt:25.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY  
& GI TRACTS. ACUTE & CHRONIC- MAY CA

USE BURNS TO SKIN & EYES. HIGH

CONCENTRATION OF VAPORS CAN CAUSE IRRITATION OF EYES & RESPIRATORY  
TRACT. LIQUID CAUSES DAMAGE TO MUCOUS MEMBRANES IF SWALLOWED.  
PROLONGED/REPEATED EXPOSURE MAY CAUSE ASTHMA, SKIN SENSITIZATION,  
DERMATITIS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.

Effects of Overexposure:IRRITATION, BURNS, ALLERGIC SKIN REACTION,  
PAIN, ASTHMA, D

ERMATITIS

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE  
MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET IMMEDIATE MEDICAL HELP FOR ALL CASES OF EXPOSURE.

EYES/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS  
OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY.  
ORAL:DO NOT INDUCE VO

MITING. IF CONSCIOUS, DRINK LARGE AMOUNT OF

MILK/WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.  
IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT  
ASPIRATION.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:490F,254C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER MAY BE  
INEFFECTIVE.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND

NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID ALL PERSONAL CONTACT. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB IN SUITABLE MATERIAL AND SHOVEL INTO CLOSABLE CONTAINERS. FLUSH CONTAMINATED AREA WITH WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED.

Other Precautions:WATER CONTAMINATION SHOULD BE AVOIDED. PREVENT ALL SKIN AND EYE CONTACT. AVOID BREATHING OF VAPORS. RE-SEAL PARTLY USE CONTAINERS. STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION, AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ONLY IN WELL VENTILATED AREAS BUT USE SUPPLIED AIR RESPIRATORY PROTECTION FOR CLEANING LARGE SPILLS OR UPON ENTRY INTO TANKS, VESSELS OR OTHER CONFINED SPACES.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED.

Protective Gloves:IMPERVIOUS GLOVES, NEOPRENE OR RUBBER

Eye Protection:SPLASH PROOF GOGGLES, SAFETY GLASSES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CON

TACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

KEY1:T6.

===== Physical/Chemical Properties =====

HCC:B2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:=200.C, 392.F

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:NO

T GIVEN

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NOT GIVEN

Appearance and Odor:SILVER-COLORED PASTE WITH NO NOTICEABLE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, MINERAL ACIDS, STRONG BASES, MERCAPTANS, EPOXY RESINS AND HARDENERS IN UNCONTROLLED CONDITIONS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:OXIDES OF NITROGEN, CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.