

BELMONT METALS INC -- LEAD SHOT -- 9650-00-312-6640

=====
Product Identification
=====

Product ID:LEAD SHOT
MSDS Date:02/08/1994
FSC:9650
NIIN:00-312-6640
MSDS Number: CBRYX
=== Responsible Party ===
Company Name:BELMONT METALS INC
Address:330 BELMONT AVENUE
City:BROOKLYN
State:NY
ZIP:11207
Country:US
Info Phone Num:718-342-4900
Emergency Phone Num:718-342-4900
CAGE:70774
=== Contractor Identific
ation ===
Company Name:BELMONT METALS INC
Address:330 BELMONT AVE
Box:City:BROOKLYN
State:NY
ZIP:11207
Phone:718-342-4900
CAGE:70774

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD (SARA 313) (CERCLA)
CAS:7439-92-1
RTECS #:OF7525000
Fraction by Wt: 99% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE 1910.1025
ACGIH TLV:0.05MG/M3, A3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

LD50 LC50 Mix

====

Spill Release Procedures:DUST MATERIAL SHOULD BE VACUUMED OR WET SWEEPED WHERE VACUUMING IS NOT FEASIBLE. PARTICULATE MATTER SHOULD BE STORED IN DRY CONTAINERS FOR LATER DISPOSAL. DO NOT USE COMPRESSED AIR OR DRY SWEEPING AS A MEANS OF CLEANING.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE MAY OR DOES EXCEED OCCUPATION EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:RECOMMENDED

Eye Protection:FACE SHIELD OR VENTED GOGGLES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health
LAUNDRY CLOTHING AFTER USE.

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:621F,32
7C

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:11.34

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:INSOLUBLE

Appearance and Odor:SILVERY GRAY METALLIC SOLID, NO ODOR

Percent Volatiles by Volume:NIL

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:HYDROGEN GAS, HEAVY METAL FUME, VAPOR AND/O

R DUST.

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.