

FRC-DIVISION OF CINE MAGNETICS INC -- DENT-X EXCEL X-RAY DEVELOPER (SUPPLEMENTAL) --  
6525-01-334-8774

===== Product Identification =====

Product ID:DENT-X EXCEL X-RAY DEVELOPER (SUPPLEMENTAL)

MSDS Date:06/01/1992

FSC:6525

NIIN:01-334-8774

Kit Part:Y

MSDS Number: CBSLJ

=== Responsible Party ===

Company Name:FRC-DIVISION OF CINE MAGNETICS INC

Address:524 S COLUMBUS AVE

City:MOUNT VERNON

State:NY

ZIP:1

0550-4712

Country:US

Info Phone Num:914-667-1002

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:NO452

=== Contractor Identification ===

Company Name:CINE MAGNETICS INC FR CHEMICALS DIV

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712

Country:US

CAGE:21297

Company Name:DENT-X CORP (914-592-6100)

Box:UNKNOW

CAGE:4R150

Company Name:FRC-DIVISION OF CINE MAGNETICS INC

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712

Country:US

Phone:914-667-1002

CAGE:NO

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 60-100%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE  
CAS:7757-83-7  
RTECS #:WE2150000  
Fraction by Wt: 7-13%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)  
CAS:1310-58-3  
RTECS #:TT2100000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C 2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9596  
EPA Rpt Qty:1000 LBS  
DOT Rp  
t Qty:1000 LBS

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA)  
CAS:123-31-9  
RTECS #:MX3500000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:2 MG/M3  
ACGIH TLV:2 MG/M3; 9596  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:BORIC ACID  
CAS:10043-35-3  
RTECS #:ED4550000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG BORATES/M3  
ACGIH TLV:5 MG BORATES/M3

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, VOC=0.02  
LBS/GALLON.  
RTECS #:9999999VC  
Fraction b

y Wt: NA  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE:IRRIT,BURNING MAY OCCUR W/POSSIBLE  
TISSUE DESTRUCTION.POSSIBLE DISCOLORATION OF  
CONJUNCTIVIA.SKIN:REDDEDNING,SWELLING,BURNING MAY  
OCCUR.HYDROQUINONE HAS BEEN KNOWN TO CAUSE DERM  
.INGEST:CORR TO TIS  
SUE.NAU,VOMIT,ABD PAIN POSSIBLE.LG DOSES OF SULFITE MAY CAUSE  
CIRCULATORY DISTURB/CNS DEPRESS.INHAL:CONC MIST IRRIT(SUP)  
Explanation of Carcinogenicity:PER MSDS:CARCENOGENICITY:NOEN OF THE  
CHEMS USED IN PRODUCT ARE LISTED ON NTP/IARC/OSHA LISTINGS OF HUMAN  
CARCINOGENS.  
Effects of Overexposure:EYE:IRRIT,BURN,TISSUE DESTRUCTION,CONJUNCTIVIA  
DISCOLORATION.SKIN:RED,SWELL,BURN.INGEST:CORRO,NAU,VOMIT,ABD  
PAIN,CIRCULATORY DISTURB,CNS DEPRESS.INHAL:IRRIT,DMG R  
ESP  
TRACT/LUNGS.NAU,VOMIT.  
Medical Cond Aggravated by Exposure:SULFITES MAY CAUSE ALLERGIC  
REACTIONS IN SOME ASTHMATICS.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR 15MINS.OBTAIN MED ATTN.CHECK FOR  
CORNEAL INJURY. SKIN:REMOVE CONTAMIN CLOTH.WASH EXPO AREA  
THOROUGHLY W/WATER.CONTACT PHYSICIAN. INGEST:IF CONSC GIVE 2  
GLASSES OF WATER.DO NOT IN DUCE VOMIT.OBTAIN PROMPT MED ATTN.  
INHAL:REMOVE TO FRESH AIR.IF ADVERSE S  
YMP TOMS DEVELOP CONTACT  
PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:ANY APPLICABLE TO THE PRIMARY CAUSE OF FIRE.  
Fire Fighting Procedures:EVACUATE PERSONNEL TO SAFE AREA. FIREFIGHTERS  
SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY RELEASE SULFUR DIOXIDE  
VAPORS.

=====  
===== Acci

idental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PROTECTIVE EQPMT.DIKE/SOAK UP W/ABSORBANT MATL.PREVENT LIQ FROM ENTERING SEWERS/WATERWAYS.DISPOSE OF IN ACCORDANCE WITH FED/STATE/LOC REGS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WEEL VENTI AREA.KEEP CNTNR TIGHTLY CAPPED WHEN NOT IN USE.DO NOT STORE FOOD/DRINK/TOBACCO IN AR

EAS WHERE CONTAMIN COULD OCCUR W/PRODUCT.

Other Precautions:AVOID BREATH VAP.AVOID CONTACT EYES/SKIN/CLOTHING.DO NOT TAKE INTERNALLY.KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR POORLY VENTILATED AREAS A NIOSH CARTRIDGE RESPIRATOR IS RECOMMENDED.

Ventilation:TEN ROOM VOLUMES PER HR RECOMMENDED UNDER NORMAL CONDITIONS.

Protective Gloves:LATEX OR NEOPRENE GLOVES.

Eye Protection:CHEM SPLASH GOGGLES.

Other

Protective Equipment:LAB COAT, EYE WASH STATION.

Work Hygienic Practices:WASH CONTAMIN CLOTH BEF REUSE.WASH THOROUGHLY AFTER HNDLG.

Supplemental Safety and Health

CAT#:999-2602-001; 999-2602-201. HEALTH HAZ:IRRIT/DMG RESP

TRACT/LUNGS.MAY CAUSE NAU,VOMIT. PER TIR:PKG CONSISTS OF DEVELOPER & FIXER(SEE PNIND:B).

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pre

s:N/AVAI  
Vapor Density:N/AVAI  
Spec Gravity:1.12  
pH:10.2  
Viscosity:NP  
Evaporation Rate & Reference:N/AVAI  
Solubility in Water:COMPLETELY.  
Appearance and Odor:RED SOLUTION, ALDEHYDE ODOR.  
Percent Volatiles by Volume:60-100  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG ACIDS & OXIDIZERS.  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:SULFUR DIOXIDE.

===== Dispos  
al Considerations =====

Waste Disposal Methods:DISCHARGE TO SEWER REQUIRES APPROVAL OF  
PERMITTING AUTHORITY;MAY REQUIRE  
PRETREATMENT.TREAT/STORAGE/TRASN/ DISPO MUST BE IAW FED/STATE/LOC  
REGS.CHEM SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III OF SA  
RA/49CFR372:HYDROQUINONE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no m  
anner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.