

J&M LABORATORIES, INC -- 1104 -- 6850-01-413-3083

=====  
===== Product Identification =====

Product ID:1104  
MSDS Date:03/06/1995  
FSC:6850  
NIIN:01-413-3083  
MSDS Number: CBSQB  
=== Responsible Party ===  
Company Name:J&M LABORATORIES, INC  
Address:1717 ROWAN  
City:LOUISVILLE  
State:KY  
ZIP:40203  
Country:US  
Info Phone Num:502-585-3176/FAX 502-585-3216  
Emergency Phone Num:502-585-3176/800-473-6173  
CAGE:NO621

==== C  
Contractor Identification ====  
Company Name:J AND M LABORATORIES, INC.  
Address:1717 ROWAN ST  
Box:City:LOUISEVILLE  
State:KY  
ZIP:40203  
Country:US  
Phone:800-473-6173/502-585-3176  
CAGE:01VT9  
Company Name:J&M LABORATORIES, INC  
Address:1717 ROWAN  
Box:City:LOUISVILLE  
State:KY  
ZIP:40203  
Country:US  
Phone:502-585-3176/FAX 502-585-3216  
CAGE:NO621

=====  
===== Composition/Information on Ingredients =====

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA)  
CAS:7631-90-5  
RTECS #:VZ2000000  
Other REC L

imits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
HMIS:STRONG EYE & TISSUE IRRITANT.  
Explanation of Carcinogenicity:PER MSDS:MATL NOT CONSIDERED TO BE  
CARCINOGEN BY NTP/IARC/OSHA.  
Effects of Overex  
posure:NONE SPECIFIED BY MANUFACTURER. HMIS:STRONG EYE  
& TISSUE IRRITANT.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:SKIN:WASH W/PLENTY OF SOAP/WATER.REPEAT WASHING.RINSE EXPO  
AREA FOR @LEAST 15MINS.CONSULT HEALTH CARE PROFESSIONAL.CLOTHING IN  
CONTACT W/PRODUCT REMOVE IMMED.EYE:FLLUSH IMMED W/COPIOUS AMTS OF  
TAP WAT ER/NORMAL SALINE(NIM)OF 15MINS.TAKE TO HEALTH CARE  
PROFE  
SSIONAL.INHAL:NAU,HEAD,DIZZ IMMED MOVE TO FRESH AIR.DIFFI  
BREATH/CYANOTIC ADMIN OXY IF AVAILABLE.CALL DR.INGEST:DO NOT INDUCE  
VOMIT.RINSE (SUPP)

=====  
===== Fire Fighting Measures =====

Flash Point:>212F,>100C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS  
REQUIRED.  
Unusual Fire/Explosion Hazard:NO

NE.

===== Accidental Release Measures =====

Spill Release Procedures:INITAILLY MIN AREA.BLCOK POT ROUTES TO WATER  
SYS.ASSESS IMPACE ON CONTAMIN ENVIR/MIN ADVERSE EFFECTS.CONTACT J&M  
REP IMMED.DETERMINE IF FED/STATE/LOC RELEASE NOTIFICATION  
REQUIRED.RECOVER AS MUCH OF P URE PROD AS POSSIBLE INTO APPROPRIATE  
CNTNR.(SUPP)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and

Storage Precautions:CLOSE CNTNRS TIGHTLY WHEN NOT IN USE.

Other Precautions:DISPOSAL:WASTE UNDER RCRA.J&M LAB WILL ACCEPT ANY  
EMPTY DRUM ASSUMING DRUM IS IN SATISFACTORY CONDITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FILTRATION MASKS MUST BE USED IF TLV RESIDUAL IS  
EXCEEDED.

Ventilation:GENERAL (MECHANICAL) ROOM VENTILATION IS EXPECTED TO BE  
SATISFACTORY.

Protective Gloves:IMPERVIOUS GLOVES AS STD HNDLG PRECAUT

Eye Protection:

SAF GLASSES,GOGG AS STD SAF PRECAUT

Other Protective Equipment:DO NOT WEAR CONTACTS. ACID RESISTANT APRON.

Work Hygienic Practices:CONTAMIN SHOULD BE LAUNDERED BEF REUSE.

Supplemental Safety and Health

1ST AID: MOUTH W/COPIOUS AMTS OF WATER/MILK 1ST.THEN SLOWLY DILUTE  
STOMACH CONTENTS W/6-8OZ OF WATER.IF SEMICONSC/COMATOSE/CONVULSING  
DO NOT GIVE FLUIDS BY MOUTH.CONTACT DR IMMED. SPILL:USE  
CLAY/SOIL/CO MMERCIALY AVAI ABSORBENT RO RECOVER MATL NOT RECOVER  
AS PURE PROD.CONTACT FACI I

DUST SEWER SYS IF FLUSH/PUMP INTO SEWER

===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:DECOM@>150C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:>302F,>150C

Vapor Pres:NP

Vapor Density:NP

Spec Gravity:1.48 G/ML

pH:3-5

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:NOT AVAILABLE.

Appearance and Odor:CLEAR, PINK, LIQUID, W/SULFUROUS ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability

and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

ACIDS, OXIDIZERS.

Stability Condition to Avoid: WILL DECOMPOSE SLOWLY IN AIR.

Hazardous Decomposition Products: OXIDES OF SULFUR & SODIUM.

===== Disposal Considerations =====

Waste Disposal Methods: FOLLOW ALL FED/STATE/LOC REGS. DETERMINE IF CAN BE HNDL BY AVAI INDUST EFFLUENT SYS/OTHER ON-SITE WASTE MANAGEMENT. PROD NOT SPEC LISTED IN 40CFR261 AS RCRA HAZ WASTE. HOWEVER S

PILL/LEAK RESIDUALS MAY ME ET CRITERIA OF CHARACTERISTIC HAZ(SEE OTHER PRECA)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.