

MOBIL OIL CORP -- VACUUM PUMP OIL -- 9150-00-273-8664

===== Product Identification =====

Product ID:VACUUM PUMP OIL

MSDS Date:01/01/1995

FSC:9150

NIIN:00-273-8664

MSDS Number: CBSZD

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037

Country:US

Info Phone Num:800-662-4525/703-849-3265

Emergency Phone Num:609-737-4411/800-424-9300(CHEMTREC)

CAGE:6G112

=== Contractor Identification ===

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525, 856-224-4644

CAGE:6G112

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50(ORAL,RAT) >2,000 MG/KG;TLV 5 MG/M3.

Routes of Entry:

Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE-ORAL:PRACTICALLY NON-TOXIC. INHALATION:UNLIKELY FOR HANDLING, USE, MISUSE OF THIS PRODUCT. EYE/SKIN:PRACTICALLY NON-IRRITATING. CHRONIC- NO ADVERSE EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First

Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:NOT EXPECTED TO BE A PROBLEM. EYES:FLUSH THOROUGHLY WITH WATER. SKIN:WIPE OFF EXCESS. WASH SKIN WITH SOAP & WATER. ORAL:NOT EXPECTED TO BE A PROBLEM. IF UN COMFORTABLE, SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>400F,>204C

Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL. DIRECTLY SPRAYING WATER/FOAM ONTO BURNING OIL MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CONTAINER MAY BURST.

=====
===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE OIL IF POSSIBLE. ABSORB SPILL WITH INERT MATERIAL SUCH AS SAND, DIATOMACEOUS EARTH. TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS. REPORT SPILL AS REQUIRED TO COAST GUARD 800-424-8802.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM EXTREME HEAT & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICA

NT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDRER BEFORE RE-USE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE OR NEOPRENE RECOMMENDED

Eye Protection:SAFETY GLASSES
, FACE SHIELD RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:2

Spec Gravity:0.88

Viscosity:67 CST @ 104F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER LIQUID - MILD ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:MAY PRODUCE FUMES, SMOKE, CARBON MONOXIDE, CARBON DIOXIDE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS

AND REGULATIONS. RCRA

EMERGENCY NUMBER: 800-424-9346. DO NOT CONTAMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY. INCINERATION IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person

utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.