View NSN Online: https://aerobasegroup.kr/nsn/5970-00-900-4414

GRACE, W R & CO; EMERSON & CUMING INC. -- STYCAST 2651 -- 5970-00-900-4414

Product ID:STYCAST 2651 MSDS Date:03/12/1993

FSC:5970

NIIN:00-900-4414

Kit Part:Y

MSDS Number: CBTBN === Responsible Party ===

Company Name: GRACE, WR & CO; EMERSON & CUMING INC.

Address:55 HAYDEN AVE

City:LEXINGTON

State:MA ZIP:02173 Country:US

Info Phone Num:617-861-3300, MSDS INFO

Emera

ency Phone Num:617-861-6600; CHEMTREC,800-424-9300

Preparer's Name: DAVID HAAS

CAGE:MO184

=== Contractor Identification ===

Company Name: GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

Company Name: GRACE, WR & CO

Address:55 HAYDEN AVE

Box:City:LEXINGTON

State:MA ZIP:02173 Country:US

Phone:781-861-6600

CAGE:0NR92

Company Name: GRACE, WR & CO; EMERSON & CUMING INC.

Address:55 HAYDEN AVE

Box:Cit

y:LEXINGTON

State:MA ZIP:02173

Country:US

Phone:617-861-3300, MSDS INFO

CAGE:MO184

Company Name: TRIMAN INDUSTRIES INC Address: 420 COMMERCE LN SUITE 8

Box:City:WEST BERLIN

State:NJ ZIP:08091 Country:US

Phone:856-767-7945 /FAX: 856-767-7154

CAGE:0ZBE8

====== Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN Fraction by Wt: 50 - 58%

Other REC Limits: NONE RECOMMENDED

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS:12001-26-2 RTECS #:VV8760000

Fractio

n by Wt: 40 - 48%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:20 MPPCF; Z-3

ACGIH TLV:3 MG/M3 RDUST; 9596

Ingred Name: PHENYL GLYCIDYL ETHER (PGE)

CAS:122-60-1

RTECS #:TZ3675000 Fraction by Wt: 2 - 5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 PPM

ACGIH TLV:S, 1 PPM; A3; 9596

Ingred Name: CARBON BLACK


CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 200F,>93C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM OR DRY

CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighti



= Stability and Reactivity Data ========

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, STRONG OXIDIZING AGENTS, STRONG BASES, AMINES, ANHYDRIDES, MERCAPTANS, IMIDAZOLES

Stability Condition to Avoid:OPEN FLAME, UNCONTROLLED EXPOSURE TO HEAT, UNCONTROLLED MIXING WITH CURING AGENTS

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, ACIDS, NITROGEN COMPOUNDS AND OTHER ORGANIC SUBSTANCES MAY BE FORMED.

Conditions to Avoid Polymerization :UNCONTROLLED MIXING WITH CURING AGENTS

particular situation.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. CONTRACT WITH A LICENSED WASTE DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their